
## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



J. FRANKLIN MEEHAN, President S. MENDELSON MEEHAN, Vice-Pres. THOMAS B. MEEHAN, Sec. and Treas.

Incorporated 1902 CAPITAL STOCK, \$100,000.00 300 ACRES

# Meehans' Nurse

Founded 1854 by THOMAS MEEHAN

# Wholesale Trade List Spring, 1903

THOMAS MEEHAN & SONS. Inc. LINRAR

Wholesale Department

Dreshertown, Montgomery Co., Pa. \* JUN 1 5 1920 \*

[COPY OF CERTIFICATE]

U. S. Department of Agriculture. THE COMMONWEALTH OF PENNSY

DEPARTMENT OF ACRICULTURE

Certificate of Inspection of Nursery Stock No. 142.

This is to certify that the stock in the nursery of Thomas Meehan & Sons, Inc., of Dreshertown, County of Montgomery, State of Pennsylvania, was duly examined in compliance with the provisions of the Act of Legislature of Pennsylvania, approved the 10th day of June, A. D., 1901, and it was found to be apparently free from San Jose Scale and other dangerously injurious insect pest or pests.

This Certificate expires July 31, 1903. Dated Harrisburg, Pa., August 7, 1902.

GEO. C. BUTZ, Inspector.

Secretary of Agriculture.

### Special Notice

Our nurseries have been carefully inspected and no trace of scale or other injurious insects found. For the benefit of customers, however, who wish stock fumigated, we have erected a fumigating house, and when requested to do so will fumigate shipments before packing.

This will be done, however, entirely at the risk of purchaser.

Long Distance Telephone, 26 Ft. Washington, Pa. Telegraph Office, Ambler, Pa. Adams Express, Dreshertown, Montg. Co., Pa.

This Catalogue takes the place of all previous issues

# Important! Please Read!

**CUSTOMERS** are requested to state the mode of conveyance by which they desire their trees forwarded. When no route is named we forward to the best of our judgment; but in no case do we assume any responsibility after the goods are shipped, unless for our own mistakes.

TERMS CASH, on or before delivery to express or railroad agents, unless by special arrangement.

TWO HUNDRED AND FIFTY, twenty-five and five will be furnished at the thousand, hundred and ten rates respectively.

PACKING CHARGED EXTRA, but only sufficient to cover cost of time and material.

Post-Office Orders payable at Dreshertown, Montgomery Co., Pa.

OUR DESCRIPTIVE CATALOGUE is complete and will be sent to all applicants.

VISITORS are always welcome and should take train at the Reading Terminal, 12th and Market Streets, Philadelphia, for Camp Hill Station, or at Broad Street Station, Pennsylvania R. R., for Fort Hill Station. Be sure that the train you take stops at these stations. NOTICE.—It is necessary that you should Telephone us (26 Fort Washington) in advance of your coming, so that we can send a carriage to the station for you. Our office is 2½ miles from either station.

# Notice of Incorporation

On July 1st, 1902, the firm of Thomas Meehan & Sons was incorporated under the laws of the State of Pennsylvania, consolidating with it the wholesale business of Meehan Brothers, situated at Dreshertown, Montgomery County, Pa. This combination increased the size of the nurseries to about three hundred acres, making probably one of the largest nurseries of strictly ornamental trees, shrubs and hardy plants in the United States. To facilitate the carrying on of this extensive business, an office was opened at Dreshertown for the transaction of the wholesale department of the firm—the stock grown at this place also being used entirely for wholesale purposes. The Germantown office and nurseries will be confined entirely for the carrying on and growing of stock for retail purposes only.

This consolidation of the two firms and the division of the wholesale and retail department of the business will enable both branches to conduct their respective departments more satisfactorily, and to handle the business

and ship stock more quickly than has heretofore been the case.

Though the business has been incorporated, the ownership and management remains wholly in the hands of the former members of the firm.

#### DECIDUOUS TREES.

"Trans." signifies the stock has been once or more transplanted.

"Seed." that it is still in Seedling Beds.

|      |              |        |           |            |                     | Per 10 | Per 100 | Per | 1000 |
|------|--------------|--------|-----------|------------|---------------------|--------|---------|-----|------|
| Acer | campestre,   | nglis  | h Cork Ma | ple, heavy | , 4 to 5 ft. trans. | \$3 50 | \$30 00 |     |      |
| **   | colchicum ru | brum   |           |            | 6 to 7 ft. trans.   | 3 50   |         |     |      |
| 66   | dasycarpum,  | Silver | Maple,    |            | 1 to 2 ft, seed.    | 35     | 75      | \$  | 4 00 |
| 11   | 44.          | - 6.6  | ii        |            | 4 to 5 ft. trans.   | 1 25   | 9 00    |     |      |
| 66   | 46           | 6.6    |           |            | 5 to 6 ft. trans.   | 1 50   | 10 00   |     |      |
| 44   | 44           | 44     |           |            | 6 to 7 ft. trans.   | 1 75   | 12 00   |     |      |
| **   | 46           | 66     | 44        |            | 7 to 8 ft. trans.   | 2 00   | 15 00   |     |      |
|      | 86 *         | 41     | 64        |            | 12 to 14 ft. trans. | 4 00   | 35 00   |     |      |
| 86   | 44           | - 44   | 44        |            | 15 to 18 ft. trans. | 35 00  |         |     |      |

These 15 to 18 feet trees are extra selected specimens, transplanted three years ago and planted wide apart, enabling the heads to develop into large shapely tops. They have perfectly straight stems and have an abundance of strong, fibrous roots. They are particularly desirable for use where a selected, transplanted and well developed tree is required for immediate effect.


| 44  | Wierii, W | ier's | Cut- | leaved | Maple, | 7 to 8 ft. trans.   | 3 50    | 30 00 |
|-----|-----------|-------|------|--------|--------|---------------------|---------|-------|
| 4.4 | 16        |       | 44   | 44     | 16     | 8 to 10 ft. trans,  | 4 00    | 35 00 |
| 4,6 |           | 46    | 66   | 11     | . 44   | 10 to 12 ft. trans. | 6 00    | 50 00 |
| -66 | 45        | 66    | 44   | 46 ,   | . 66   | 12 ft. trans.       | . 15 00 |       |

Our 12 feet Wier's Cut-leaved Maple are very fine specimens, with straight leaders and low-branched. They were transplanted three years ago and set wide apart in the nursery rows, and have not been crowded.

```
negundo, Ash-leaved Maple. Box Elder, 1 to 2 ft. seed. 25
                                                                                                   3 00
                                                     " 6 to 7 ft. trans. 1 50
" 7 to 8 ft. trans. 2 00
44
                                                                                       10 00
                                                                                                   90 00
44
                                                44
                                                                                       12 00
                                                                                                  100 00
66
                                                       " 9 to 10 ft, trans. 2 50
                                                                                       15 00
                                                                                                  120 00
46
                                          11/2 in. diam. 10 to 12 ft, trans 3 00
                                                                                       17 50
66
                                     "11/4 to 13/4 in. diam. 12 to 14 ft. trans. 3 50
                                                                                        25 00
                                     " 2 to 2\frac{1}{4} in, diam. 12 to 14 ft. trans. 4 00
                                                                                       30 00
    platanoides, Norway Maple,
                                                            3 to 4 ft. trans. 1 25
                                                                                       10 00
                                                                                                   90 00
                                                            4 to 5 ft. trans. 1 75
                                                                                       15 00
                                                                                                  125 00
                                                            6 to 7 ft. trans. 2 00
                                                                                       18 00
                                                                                                  150 00
44
                         ....
                                                            7 to 8 ft, trans. 2 50
                                                                                       20 00
66
                                                            9 to 10 ft. trans. 3 00
                                                                                       25 00
..
                                       2 to 21/4 in, diam, 10 to 12 ft. trans. 5 00
66
                                                                                       75 00
                                          21/2 to 23/4 in. diam, 12 ft. trans. 8 50
                         44
                                  " 21/4 to 3 in. diam. 12 to 14 ft. trans. 30 00
```

The 12 to 14 feet,  $2\frac{1}{2}$  to 3 inch trees are specimen plants, transplanted three years ago, which have been set out in wide nursery rows to enable the heads to have ample room to fully develop, without crowding. The trees have perfectly straight trunks, and are heavily rooted. They are especially desirable where specimen trees of good size are needed for immediate effect.

| 66 | pseudo-platanus, | Sycamore | Maple, | 6 in. seed.         | 35   | 75    |       |
|----|------------------|----------|--------|---------------------|------|-------|-------|
| 66 | "                | 46       | 1046   | 2 to 3 ft. trans.   | 1 25 | 10 00 | 80 00 |
| 66 | "                |          | 44     | 8 to 9 ft. trans.   | 2 50 |       |       |
| 66 | - 11             | 64       | 66     | 16 to 11 ft, trans. | 3 50 |       |       |



|   |     |           |           |           |           |        |                     | Per l | 10 | Per 100 | Per 1000 |  |
|---|-----|-----------|-----------|-----------|-----------|--------|---------------------|-------|----|---------|----------|--|
| A | ce  | rubrum,   | Red Ma    | ple,      |           |        | 10 to 12 in. seed.  | \$ 3  | 5  | \$ 1 25 | \$10 00  |  |
|   | 11  | 44        | 44        |           |           |        | 6 to 7 ft. trans.   | 3 0   | 0  | 25 00   |          |  |
|   | 44  |           | 44        |           |           |        | 7 to 8 ft. trans.   | 3 50  | )  |         |          |  |
|   | 46  | 46        | 46        | L.        |           |        | 9 to 10 ft. trans.  | 4 00  | )  |         |          |  |
|   |     | Schwedle  | ri, Purpl | e-leav    | ed No     | orway. | 4 to 5 ft. trans.   | 3 0   | 0- | 25 00   |          |  |
|   | 14  | 6.6       |           |           |           |        | 5 to 6 ft. trans.   | 3 5   | 0  | 30 00   |          |  |
|   | 11  | **        |           |           |           |        | 7 to 8 ft. trans.   | 4 0   | 0  | 35 00   |          |  |
|   | 11  | saccharin | um, Sug   | ar Ma     | ple,      |        | 6 in. seed.         | 3     | 5  | 75      | 6 00     |  |
|   | 1.6 | **        |           | 41        |           |        | 7 to 8 ft. trans.   | 2 0   | 0  | 15 00   |          |  |
|   | 66  | 66        | 4.6       |           |           |        | 9 to 10 ft. trans.  | 2 5   | )  | 20 00   |          |  |
|   | 44  | 66        |           |           |           |        | 10 to 12 ft. trans. | 3 0   | 0  | 25 00   | 200 00   |  |
|   | 46  | - 46      | 44        | 11/4 to 1 | 3% in. di | iam.   | 12 to 14 ft. trans. | 3 50  | )  | 30 00   | 250 00   |  |
|   | 64  |           |           | 1½ to 1   | 5% in. d  | iam.   | 12 to 14 ft. trans. | 4 0   | 0  | 35 00   | 300 00   |  |
|   | 44  | 44        | 44        | 13/4 to 2 | in. dia   | m.     | 12 to 14 ft. trans. | 8 5   | 0  | 75 00   | 600 00   |  |
|   | 10  | 66        | nigrum, E | lack S    | Sugar     | Maple  | 6 to 7 ft. trans.   | 1 78  | 5  |         |          |  |
|   | 11  |           | 16        | 4.6       | "         | - 66   | 8 to 9 ft. trans.   | 2 00  | )  |         |          |  |
|   | 4:  |           | 44        | **        |           | - 66   | 10 to 12 ft. trans. | 2 7   | 5  |         |          |  |
|   |     |           |           |           |           |        |                     |       |    |         |          |  |

The leaves of the Black Sugar Maple are heavier and of darker color than the other form, and being of tougher texture are not attacked by insects.

| 66   | spicatum, Mountain Maple, | 2 to 3 ft. trans.    | 2 00 | 18 00 |
|------|---------------------------|----------------------|------|-------|
| 14   |                           | 5 to 6 ft. trans.    | 4 00 |       |
| 6.6  | Tataricum Ginnale "       | 5 to 6 in. seed.     | 35   | 2 00  |
| 44 " | 11 11                     | 2 to 21/2 ft. trans. | 1 50 | 12 00 |
| 44   | "                         | 2½ to 3 ft. trans.   | 2 50 | 20 00 |

\*The Ginnale Maple is remarkable for the brilliant coloring of its leaves in the fall. It is not a large-growing tree, but rather a good-sized bush.

#### JAPANESE MAPLES.

Tit will be observed that nearly all of our Japanese Maples are pot-grown. This makes transplanting almost certain of success. Our plants are all home-grown and are much more hardy and healthy than the weak, imported stock.

| Acer  | Japonicum a  | ureum, Golde        | en-leaved,                    | 18 to  | 24 in. f  | rom pots   | \$15 00 |       |        |
|-------|--------------|---------------------|-------------------------------|--------|-----------|------------|---------|-------|--------|
| - " I | oolymorphun  | n, Green-leave      | ed,                           | 18 to  | 24 in. f  | rom pots   | 10 00   |       |        |
|       |              | atropurpure<br>Cut- | um dissectum<br>leaved purple | ; } 18 | to 24 in. | from pots  | 15 CO   |       |        |
| 11    |              | atropurpure         | um, Purple-le                 | aved,  | 12 to 15  | in. trans. | 10 00   |       |        |
| Æscu  | ulus glabra, | Am. Horse           | -Chestnu                      | t,     | 2 to 3 f  | t. seed.   | 50      |       |        |
| 44    | hippocasta   | num, Eu. Ho         | rse-Chest                     | nut.   | 8 to 12   | in. seed   | 25      | \$ 75 | \$6 00 |
|       | "            | 44                  | 44                            |        | 18 to 24  | in. trans. | 1 25    | 10 00 |        |
|       | 4.6          | 44                  | 66                            |        | 2 to 3 f  | t. trans.  | 1 50    | 12 00 |        |
| 66    |              | "                   | 44                            |        | 3 to 4 f  | t. trans.  | 2 50    |       |        |
| 64    |              |                     | 11                            |        | 8 to 10   | ft. trans. | 4 00    | 35 00 |        |
| Ailan | thus gland   | ulosa,              |                               |        | 18 to 21  | in. seed.  | 35      | 75    | 4 00   |
| 14    | - 44         |                     |                               |        | 4 to 5 f  | t. trans.  | 2 00    |       |        |
| 44    | " f          | emale,              |                               |        | 2 to 3 f  | ft.        | 1 50    | 12 00 |        |
|       | **           | "                   |                               |        | 12 ft. h  | eavy       | 10 00   |       |        |

The female Ailanthus is the seed-bearing form, and is almost free from the disagreeable odor common to the male form.

| Alnus glutinosa, European Alder,      | 1 ft. seed.        | 35   | 2 00  |
|---------------------------------------|--------------------|------|-------|
| 46 46                                 | 3 ft. trans.       | 1 50 | 10 00 |
| " incana, "                           | 7 to 8 ft. trans.  | 1 75 | 15 00 |
| " "                                   | 9 to 10 ft, trans. | 2 50 | 20 00 |
| " serrulata " bushy,                  | 3 to 4 ft. trans.  | 1 75 |       |
| Amygdalus Persica, Double White Peach | 4 to 5 ft.         | 2 50 | 20 00 |
| " Pink "                              | 4 to 5 ft.         | 2 50 | 20 00 |
| " " Red "                             | 4 to 5 ft.         | 2 50 | 20 00 |
| Andromeda arborea, Sorrel Tree,       | 2 to 3 ft. trans.  | 2 50 | 20 00 |
| 16 16 16                              | 3 to 4 ft. trans.  | 3 50 | 25 00 |

|                                     |                        | Per 10 | Per 100 | Per 1000 |
|-------------------------------------|------------------------|--------|---------|----------|
| Aralia Cashmerica,                  | 2 to 3 ft. trans.      | \$2 00 |         |          |
| " Japonica,                         | 2 ft. trans.           | 2 00   | \$15 00 |          |
| " Mandshurica,                      | 1 to 2 ft. trans.      | 1 25   | 10 00   |          |
| " pentaphylla,                      | 6 to 8 in. trans.      | 1 00   | 8 00    |          |
| 44                                  | 12 to 18 in. trans.    | 1 50   | 10 00   |          |
| 11                                  | 18 to 24 in. trans.    | 2 00   | 18 00   |          |
| tt tt                               | 3 to 4 ft. trans.      | 1 75   | 15 00   |          |
| " spinosa,                          | 2 to 3 ft. trans.      | 1 25   | 10 00   |          |
|                                     | 3 to 4 ft. trans.      | 1 50   |         |          |
| Betula alba, European White Birch,  | 1½ to 2 ft. seed.      | 25     | 75      | \$ 6 00  |
| 14 44 45                            | 3 to 4 ft. trans.      | 1 75   | 15 00   | 120 00   |
|                                     | 4 to 5 ft. trans.      | 2 00   | 17 00   | 150 00   |
| - 66 66 66                          | 6 to 7 ft. trans.      | 2 50   | 20 00   |          |
| 66 66 66                            | 8 to 10 ft. trans.     | 3 50   |         |          |
| " Young's Weeping,                  | 3 to 4 ft. trans.      | 5 00   | 40 00   |          |
| " " purpurea, Purple-leaved,        | 2½ to 4 ft. trans.     | 3 50   | 30 00   |          |
| " lutea, Yellow Birch,              | 3 to 4 ft. trans.      | 1 75   | 15 00   |          |
| ££ 1£ ££                            | 9 to 10 ft. trans.     | 3 50   | 30 00   |          |
| " papyracea, Canoe or Paper Birch,  | 6 to 7 ft. trans.      | 3 50   |         |          |
| " rubra (nigra) Red or Water Birch, | 6 to 8 in. seed.       | 35     | 1 50    | 8 00     |
|                                     | 5 to 6 ft. trans.      | 2 50   | 20 00   |          |
| ee er ei er er er                   | 6 to 8 ft. trans.      | 3 00   | 25 00   |          |
| " " heav                            | y, 10 to 12 ft. trans. | 5 00   |         |          |

We have a splendid stock of the different varieties of Birch. They are all low-branched and bushy and for general landscape and park work this is the only way to grow them. Our plants are all young and thrifty and have excellent roots.

| Broussonetia papyrifera, Paper Mulberry, 10 to 11 ft. trans. | 5 00 |       |        |
|--|------|-------|--------|
| Carpinus Americana, Am. Hornbeam, 1 to 2 ft. trans.          | 1 25 | 10 00 |        |
| bushy, 18 to 24 in. trans.                                   | 1 50 | 12 00 |        |
| " 2 to 2½ ft. trans.   | 2 50 |       |        |
| "Betulus, Eu. Hornbeam, 2½ to 3 ft. trans.                   | 1 50 |       |        |
| Carya alba, Shellbark. S to 4 in. seed.                      | 35   | 2 50  | 15 00  |
| " amara, Bitternut, 3 to 5 in. seed.                         | 35   | 2 00  | 10 00  |
| " microcarpa, 2 to 3 ft. seed.                               | 50   |       |        |
| " 4 to 5 ft. seed.   | 85   |       |        |
| " olivæformis, Pecan, 4 to 8 in. seed.                       | 35   | 2 00  |        |
| 12 to 18 in. seed.   | 50   | 3 00  |        |
| " 3 to 4 ft. seed.   | 1 00 |       |        |
| " porcina, Pignut, 8 to 12 in. seed.                         | 35   | 2 00  |        |
| " sulcata, Western Hickory, 2 to 2½ ft. seed.                | 50   |       |        |
| " tomentosa, 3 in. seed.                                     | - 35 | 2 00  | 10 00  |
| " 8 to 12 in. seed.  | 50   |       |        |
| Castanea Americana, Sweet Chestnut, 31/2 to 4 ft. trans.     | 2 00 | 15 00 |        |
| " pumila, " 2 to 3 ft. trans.                                | 1 75 | 15 00 |        |
| " Chinquepin, bushy, 3 to 4 ft. trans.                       | 3 50 |       |        |
| " vesca, Spanish, 8 to 12 in. seed.                          | 50   | 3 00  |        |
| " 2 to 3 ft.   | 2 00 |       |        |
| " 6 to 8 ft.   | 3 50 |       |        |
| " Paragon, 6 ft. trans.                                      | 5 00 |       |        |
| Catalpa bignonioides, Eastern Catalpa, 1 to 2 ft. seed.      | 35   | 1 00  | 6 00   |
| 5 to 6 ft. trans.  | 2 50 | 20 00 |        |
| " aurea, Colden-leaved, 2 to 2½ ft. trans.                   | 2 50 |       |        |
| " 3 to 4 ft. trans.  | 3 00 |       |        |
| " 4 to 5 ft. trans.  | 4 00 |       |        |
| Bungei, standard, 2 year heads, 6 to 8 ft.                   | 5 00 |       |        |
| " Kæmpferi, Japanese, 8 to 12 in. seed.                      | 35   | 1 50  |        |
| " 3 to 4 ft. seed.   | 50   | 3 00  |        |
| ". " 13/4 to 2 in. diam. 12 to 14 ft, trans.                 | 3 50 |       |        |
| speciosa, Western, 8 to 12 in. seed.                         | 25   | 50    | 3 00   |
| 6 to 7 ft. trans.  | 1 75 | 15 00 | 120 00 |
| 8 to 9 ft. trans.  | 2 50 | 20 00 | 150 00 |

|         |  |                       | Per 10 | Per 100 | Per 1000 |
|---------|--|-----------------------|--------|---------|----------|
| Catalpa | speciosa, Western, 11/2 to 13/4 in. diam | n. 9 to 10 ft. trans. | \$3 00 | \$25 00 |          |
|         | " 2 to 2½ in. diam.                      | 12 to 14 ft. trans.   | 4 00   | 35 00   |          |
| Celtis  | ceidentalis, Nettle, or Hackberry,       | 5 to 6 ft. trans.     | 2 50   | 20 00   | \$150 00 |
| 4.6     | 11 11 11                                 | 8 to 9 ft. trans.     | 3 50   |         |          |
| ii p    | umila,                                   | 10 to 12 in, seed.    | 50     |         |          |
| 66      | "  | 4 to 5 ft.            | 3 50   |         |          |
| Cerasus | s serotina, Am. Bird Cherry,             | 12 to 18 in, seed.    | 35     | 1 00    |          |
| - 66    |  | 3 to 4 ft, trans.     | 1 00   | 8 00    | 70 00    |
| 46      |  | 4 to 5 ft. trans.     | 1 25   | 10 00   |          |
| 46      |  | 5 to 6 ft. trans.     | 1 75   | 15 00   |          |
| 44      | 11 11 11                                 | 6 to 7 ft. trans.     | 2 50   | 20 00   |          |
| 11      | Pernsylvanica,                           | 2 to 3 ft, seed.      | 1 50   |         |          |
| * 44    | rosea pendula, Weeping flower'g Cherr    | v. 6 ft. 1 year head  | 5 00   |         |          |
| - 11    |  | 2 year head           |        |         |          |
| 2.2     | avium alba plena, Double White,          | 4 to 5 ft, trans.     | 2 00   | 18 00   |          |
| 4.6     |  | 5 to 6 ft, trans.     | 2 50   |         |          |
| se      | ranunculæflora, Double White,            | 4 to 5 ft, trans.     | 2 00   | 18 00   |          |
| - 11    | Sieboldi rubra plena, Double Red,        | 4 to 5 ft, trans.     | 2 00   | 18 00   |          |
| 66      | " " " " "                                | 5 to 6 ft. trans.     | 2 50   | 20 00   |          |
| 46      | Sinensis flora plena, Double White       |                       | 2 00   | 18 00   |          |
| 66      | " " " " " "                              | 5 to 6 ft. trans.     | 2 50   | 20 00   |          |
|         |  | o to o it. trails.    | 2 00   |         |          |

So Double-flowering cherries are beautiful in the spring and should be more largely planted where a good flowering effect is wanted. They are all perfectly hardy over almost the entire country.

| Cercis | Canadensi | s, Red Bud | or Juda | S,     | 18 to 24 in. trans.  | 1 00 | 8 00  |
|--------|-----------|------------|---------|--------|----------------------|------|-------|
| 11     |           | - 11       | 44      |        | 2 to 21/2 ft. trans. | 1 50 | 12 00 |
| 8.6    | 16        | - 16       | 44      |        | 2½ to 3 ft. trans.   | 1 75 | 15 00 |
| . 46   | 44        | - 11       | 7 66    | heavy, | 3 to 4 ft. trans.    | 2 50 | 20 00 |
| 66     | Japonica, | Japanese   | Judas.  |        | 12 to 18 in. trans.  | 1 00 | 8 00  |

\*Our stock of Red Bud or Judas will be found exceptionally large and fine this year. They are all transplanted.

| Cladas | stris tin  | etoria, Y | ellow Wood, | 10 to 18 in. seed.   | 35    | 2 50  | 20.00 |
|--------|------------|-----------|-------------|----------------------|-------|-------|-------|
| 66     |            | 66        |             | 4 to 5 ft. trans.    | 3 50  |       |       |
| 11     |            | 44        | 44 44       | 5 to 7 ft. trans.    | 5 00  |       |       |
| Cornus | s florida, | White     | Dogwood,    | 18 to 21 in. trans.  | 1 50  | 12 00 |       |
| 66     | 66         | 61        |             | 2 to 21/2 ft. trans. | 2 00  | 15 00 |       |
| 66     | 11         | 6.6       | 44          | 2½ to 3 ft. trans.   | 2 50  | 20 00 |       |
| 16     | 6.6        | 4.6       | 16          | 3 to 31/2 ft. trans. | 3 50  |       |       |
| 4.4    | 4.6        | 4.6       | 44          | 6 to 7 ft. trans.    | 15 00 |       |       |

The 6 to 7 ft. are very bushy, specimen plants, that have been transplanted within the last three years; they have well developed tops, and ample fibrous roots. They have been selected for perfect specimens and have been given all care necessary to make them such. They will be found particularly desirable where a well-formed, specimen Dogwood is required.

| " florida pendula, Weeping Dogwood,   | 2 to 3 ft. trans.    | 3 50 | 30 00 |       |
|---------------------------------------|----------------------|------|-------|-------|
|                                       | 4 to 5 ft, trans.    | 5.00 |       |       |
| " rubro, Red-flowering "              | 2 to 21/2 ft. trans. | 3 50 |       |       |
| Cytisus Laburnum,                     | 1 to 2 ft. trans.    | 35   | 2 (0  | 12 00 |
| 11 11                                 | 3 to 31/2 ft. trans. | 1 00 | 8 00  |       |
| 11                                    | 4 to 5 ft. trans.    | 1 25 | 10 00 |       |
| Dimorpanthus Mandshurica,—See Aralia. |                      |      |       |       |
| Diospyros Virginiana, Am. Persimmon,  | 8 to 10 in. seed.    | 35   | 2 00  |       |
| 11 11                                 | 3 ft. trans.         | 1 50 | 12 00 |       |
| 26 66 66                              | 4 ft. trans.         | 2 50 | 15 00 |       |
| 11 11                                 | 5 to 7 ft. trans.    | 3 50 |       |       |
| Fagus ferruginea, American Beech,     | 2 to 3 ft. trans.    | 4 00 | 35 00 |       |
| 16 66 61                              | 3 to 4 ft. trane.    | 5 00 | 40 00 |       |
| " sylvatica, European Beech,          | 10 to 15 in trans.   | 25   | 1 25  | 10 00 |
|                                       | 2 ft. bushy          | 2 00 | 18 00 |       |

|  |          |   | D 10       | D 100              | D 1000         |
|--|----------|---|------------|--------------------|----------------|
| Forms sylvation France Boach   | h o o ww | 2 to 4 ft trong                         | \$2 50     | Per 100<br>\$20 00 | Per 1000       |
| Fagus sylvatica, European Beech,   | neavy,   | 3 to 4 ft. trans.<br>4 to 5 ft. trans.  | 3 50       | 25 00              |                |
| the state of the s | heavy,   |   | 4 00       | 30 00              |                |
|  |          |   |            |                    |                |
| The European Beech offered   | are v    | very heavy and b                        | ushy and   | l finely           | ooted.         |
| " heterophylla, Cut-leaved l   | Beech.   | 2 to 21/2 ft. trans.                    | 4 00       |                    |                |
| " pendula, Weeping Be  |          | 2½ to 3 ft. trans.                      |            |                    |                |
| " " "  | "        | 4 to 5 ft. trans.                       | 5 00       |                    |                |
| " purpurea, Copper Bee   | ch.      | 10 to 15 in.                            | 35         | 2 50               | <b>\$20</b> 00 |
| " Rivers' Blood-leave  |          | 18 to 24 in. trans.                     | 3 00       |                    |                |
| 46 . 46 . 46   | -,       | 4 to 5 ft. trans.                       | 6 00       |                    |                |
| 14 16 16   |          | 6 to 7 ft. trans.                       | 7 50       |                    |                |
| Fraxinus Americana, Am. White Ast  | ٦,       | 6 to 10 in. seed.                       | 35         | 1 00               | 6 00           |
| 44 44  |          | 5 to 6 ft. trans.                       | 1 50       | 12 00              |                |
| 16 46 46   |          | 6 to 7 ft. trans.                       | 1 75       | 15 00              |                |
| 46 46  |          | 7 to 8 ft. trans.                       | 2 00       | 18 00              |                |
| "  |          | 8 to 9 ft. trans.                       | 2 50       | 20 00              |                |
| 41 41  |          | 9 to 10 ft. trans.                      | 3 00       |                    |                |
| " Excelsior, English Ash,  |          | 8 to 9 ft. trans.                       | 2 50       |                    |                |
|  |          | 10 to 11 ft. trans.                     | 3 00       | 25 00              |                |
| " " " 1½ to  | 13/4 in  | 1. 10 to 12 ft. trans.                  | 3 50       |                    |                |
|  | 21/4 in  | 1. 12 to 14 ft. trans.                  | 4 00       |                    |                |
| " aurea, Golden Ash,   |          | 3 to 4 ft. trans.                       | 2 50       |                    |                |
| " aucubæfolia,   |          | 7 to 8 ft. trans.                       | 3 50       |                    |                |
| " heterophylla, Cut-l'v'   |          |   | 3 50       |                    |                |
| " pendula, Weeping A   | sh,      | 6 to 7 ft. trans.                       | 3 50       |                    |                |
| " Ornus, Flowering Ash,  |          | 5 to 6 ft. trans.                       | 1 75       | 15 00              |                |
|  |          | 6 to 7 ft. trans.                       | 2 50       | 20 00              |                |
| 11   |          | 7 to 8 ft. trans.                       | 3 00       |                    |                |
| " quadrangulata, Blue Ash,   |          | 5 to 6 ft. trans.                       | 2 00       | 18 00              |                |
| 46 46  |          | 6 to 7 ft. trans.                       | 2 50       | 20 00              |                |
| 46 46 46   |          | 7 to 8 ft. trans.                       | 3 00       | 25 00              |                |
| " viridis, Green Ash,  |          | 4 to 5 ft. seed.                        | 75         | 5 00               |                |
| Gleditschia triacanthos, Honey Locu  | ust,     | 6 to 8 in. seed.                        | 25         | 50                 | 3 00           |
|  |          | 6 to 7 ft. trans.                       | 2 50       | 20 00              |                |
| Cymnocladus Canadensis, Ky. Coffee   | Э,       | 1 ft. seed.                             | 35         | 1 50               | 7 00           |
| 41 11 11   |          | 1 to 2 ft. seed.                        | 50         | 2 00               | 10 00          |
| 46 46  |          | 4 to 5 ft. trans.                       | 2 00       | 15 00              | 100 00         |
| 46 66 46   |          | 6 ft. trans.                            | 3 00       | 25 00              |                |
|  |          | 10 to 12 ft. trans.                     | 4 00       | 35 00              |                |
| The Kentucky Coffee is espe  | cially   | adapted for par                         | k and c    | emeter             | plant-         |
| ing, its characteristic growth   | maki     | ing a striking ap                       | pearance   |                    |                |
|  |          |   |            |                    | 00.00          |
| Juglans cinerea, Butternut,  |          | 1 to 2 ft. seed.                        | 50         | 2 50               | 20 00          |
| u u  |          | 3 ft. trans.                            | 1 25       | 10 00              |                |
|  |          | 5 ft. trans.                            | 2 00       | 15 00              | 15.00          |
| " nigra, Black Walnut,   |          | 1 to 2 ft. seed.<br>1 to 2 ft. trans.   | 50         | 2 00               | 15 00          |
|  |          |   | 1 25       | 10 00              | 15 00          |
| " regia, English " Koelreuteria paniculata, Varnish Tro  | 00       | 18 to 24 in. seed.<br>6 to 10 in. seed. | 35         | 2 00               | 15 00          |
| Larix Europæa, European Larch,   | ,        | 12 to 18 in. trans.                     | 35<br>1 25 | 10 00              | 10 00          |
| Larix Buropean European Laren,   |          | 8 to 10 ft. trans.                      | 3 00       | 10 00              |                |
| 44 44  |          | 10 to 12 ft. trans.                     | 4 00       |                    |                |
| " Leptolepis, Pot  | grown    | 1, 3 to 31/2 ft. trans.                 | 10 00      |                    |                |
| Laurus Sassafras,  | 3.5      | 2 to 3 ft. trans.                       | 2 50       | 20 00              |                |
|  |          |   | 2 00       | 20 00              |                |
| Lindera Benzoin,—See Shrubs, page 17.  |          |   |            |                    |                |
| Liquidambar styraciflua, Sweet Cur   | n,       | 1 to 2 ft. seed.                        | 35         | 2 50               | 20 00          |
|  |          | 4 to 5 ft. trans.                       | 3 00       | 25 00              | 200 00         |
| Liriodendron tulipifera, Tulip Popla   | r,       | 1 to 2 ft. seed.                        | 35         | 2 00               | 15 00          |
|  |          | 4 to 5 ft. trans.                       | 2 00       | 15 00              |                |
| Maclura aurantiaca, Osage Orange,  |          |   | 1 00       | 8 00               | 50 00          |
| "  | 1 year   | r No. 1, for hedging                    | 1          |                    | 35)            |

|  |                        | Per 10  | Per 100 | Per 1000 |
|--|------------------------|---------|---------|----------|
| Magnolia conspicua, Chinese White, from po | ts 18 to 24 in.        | \$10 00 |         |          |
| " from po                                  | ts 3 to 3½ ft. trans.  | 15 00   |         |          |
| " glauca, Swamp White,                     | 18 to 24 in. trans.    | 3 50    | \$30 00 |          |
| " Kobus,                                   | 12 to 18 in. seed.     | 75      | 5 00    |          |
| Ge GG                                      | 12 to 15 in. trans.    | 3 50    | 20 00   |          |
|  | l, 4 to 5 ft.          | 12 50   |         |          |
| " purpurea, Chinese Purple, from pots      | s, 18 to 24 in. trans. | 6 00    |         |          |
| " Soulangiana, Chinese Pink,               |                        | 3 00    | 25 00   |          |
| 66 66 66                                   | 2 to 3 ft. trans.      | 5 00    | 40 00   |          |
| speciosa, with ba                          | ll, 4 to 5 ft.         | 12 50   |         |          |
| " tripetala, Umbrella Tree,                | 4 to 5 in, seed.       | 35      | 2 50    |          |
|  | 8 to 12 in. seed.      | 50      | 3 00    |          |
| 66 44 45 66                                | :10 to 11 ft. trans.   | 3 00    |         |          |
|  | ll, 2 ft. trans.       | 12 50   |         |          |
| 66 66 66                                   | 3 ft.                  | 17 50   |         |          |
| Melia Azederach, Tree of China,            | 1 ft. seed.            | 50      | 3 00    |          |
| Morus alba, White Mulberry,                | 6 to 12 in. seed.      | 35      | 1 00    | \$6 00   |
| 66 46 46 46                                | 5 to 6 ft. trans.      | 2 00    | 15 00   |          |
| tt tt busi                                 | hy, 8 to 10 ft. trans. | 3 00    | 25 00   |          |
| " Tatarica, Russian Mulberry,              | 12 to 18 in. seed.     | 35      | 1 00    | 6 00     |
| 66 66 66                                   | 5 to 6 ft. trans.      | 1 50    |         | 100 00   |
| 66 66 . 66                                 | 6 to 7 ft. trans.      | 1 75    | 15 00   | 125 00   |
| " Teas' Weeping Mulberry,                  | 1 year heads.          | 4 00    |         |          |
| Negundo fraxinæfolia,-See Acer Negundo     | o, page 3.             |         |         |          |
| Oxydendron arborea, -See Andromeda, p      | age 5.                 |         |         |          |
| Ostrya Virginica, Iron-wood,               | 2 to 3 ft, trans.      | - 3 00  |         |          |
| Paulownia imperialis, Empress Tree,        | 3 ft. trans.           |         | 15 00   |          |
| 44 58 66                                   | 6 to 8 ft. trans.      |         |         |          |
| Phellodendron amurense,                    | 12 to 18 in. seed.     |         | 2 00    |          |
| 66   | 5 to 6 ft. trans.      |         |         |          |
| Photinia villosa,                          | 12 to 15 in. trans.    |         | 6 00    | 50 00    |
| 66 66                                      | 18 to 24 in. trans.    | 1 00    | 8 00    | 70 00    |

The Photinia is being largely planted now in Park, Cemetery and Landscape work, its coral berries and the brilliant coloring of its foliage in the fall making it especially attractive.

| Plata | nus o    | cidentalis, 🛭 | m. Bu | ttonwood,        | 5 to 7 ft. trans.   | 2 00  | 15 00 |       |
|-------|----------|---------------|-------|------------------|---------------------|-------|-------|-------|
| " or  | ientalis | , Oriental    | Plane | , Sycamore       | , 1 year            | 35    | 2 50  | 20 00 |
| 6.6   | 4.6      | 6.6           | 6.6   |                  | 5 to 6 ft. trans.   | 3 00  | 25 00 |       |
| 66    | 4.6      | 46            | 16    | 46               | 6 to 7 ft. trans.   | 3 00  | 27 50 |       |
| 66    | 4.4      | 6.6           | 4.6   | 4.6              | 8 to 9 ft, trans.   | 3 50  | 30 00 |       |
| 44    | 6.6      | 4.6           | 6.6   | 6.6              | 8 to 10 ft. trans.  | 4 00  |       |       |
| 44    | 4.4      | 6.6           | 6.6   | 21/4 to 21/2 in. | 12 to 15 ft. trans. | 30 00 |       |       |

The 12 to 15 feet Planes are specimen trees, originally selected from our young blocks, and set out in wide nursery rows to allow them ample room to develop. They are extra fine, shapely specimens, and where such a tree is required for an immediate effect, in a prominent position, these trees will be found to be exactly what is required.

| Pop | ul  | us alba, S | Silver Po | oplar,    |         |     | 4 to 5 ft. trans.   | 1 75 | 15 00 |       |
|-----|-----|------------|-----------|-----------|---------|-----|---------------------|------|-------|-------|
| ·   | 6.6 | 6.6        | 66        | 44        |         |     | 6 ft. trans.        | 2 50 | 20 00 |       |
|     | 6.6 | . 44       | 66        | 66        |         |     | 1 to 2 ft.          | 35   | 2 50  | 20 00 |
|     | 66  | Bolleana,  | Pyram     | idal Silv | er-leav | 00  | 1. 1 to 2 ft.       | 50   | 3 50  | 25 00 |
|     | 6.6 | 6.6        |           |           |         |     | 4 to 5 ft. trans.   | 2 50 | 20 00 |       |
|     | 6.6 | 66         | 4.4       |           | 6.6     |     | 5 to 6 ft. trans.   | 3 00 | 25 00 |       |
|     | 6.6 | 4.6        | 6.6       |           | - 6.6   |     | 10 to 12 ft. trans. | 5 00 |       |       |
|     | 4.4 | fastigia   | ta, Lom   | bardy Po  | oplar.  |     | 2 to 3 ft. 1 year   | 75   |       |       |
|     | 66  | 46         | ,,        |           | i.e     |     | 3 ft. trans.        | 1 50 |       |       |
|     | 64  | 4.6        | b (       |           | 66      |     | 6 to 7 ft. trans.   | 2 50 |       |       |
|     | 6.6 | 66         | 6         | 1         | 4.6     |     | 8 to 10 ft. trans.  | 2 50 | 20 00 |       |
|     | 4.6 | 44         | 61        |           | " hear  | vy, | 12 to 14 ft. trans. | 5 00 |       |       |
|     | 6.6 | monilife   | era, Care | olina Po  | plar.   |     | 4 to 5 ft.          | 1 00 | 7 00  |       |
|     | 6.6 | 6.6        | ,         | 66        | 16      |     | 10 to 12 ft.        | 3 50 |       |       |
|     | 2.2 | 44         |           | 44 (17)   | 66      |     | 12 to 14 ft.        | 4 00 |       |       |
|     | 66  | 44         |           | 461       | 6.6     |     | 14 to 16 ft.        | 7 50 |       |       |


|       |            |           |              |       |                                | Per 10 | Per 100 | Per 1000         |
|-------|------------|-----------|--------------|-------|--------------------------------|--------|---------|------------------|
| Ptele | a trifolia | ta, Hop 1 | ſree,        |       | 18 to 24 in. seed.             | \$ 35  | \$1 25  |                  |
| 8.6   | 4.5        | - 46      |              |       | 3 to 4 ft, trans.              | 1 50   | 12 00   | \$100 0 <b>0</b> |
| 8.6   | 4.6        | 4.4       |              |       | 4 to 5 ft. trans.              | 2 00   | 15 00   | 125 00           |
| 4.4   | 6.6        | 4.6       |              |       | 5 to 8 ft. trans.              | 3 00   |         |                  |
| 6.6   | 6.6        | aurea, Co | olden-leave  | d Hop | 12 to 18 in. trans.            | 1 00   | 8 00    |                  |
| 4.6   | 4.6        | 4.5       | . 44         | 66    | 2 ft. trans.                   | 1 25   | 10 00   |                  |
| 5.0   | 4.6        | 4.6       | 66           | 6.6   | 3 to 4 ft. trans.              | 2 50   | 20 00   |                  |
| Pter  | ostvrax    | hispidum, |              |       | 6 to 8 in. seed,               | 1 00   | 6 00    | 40 00            |
|       |            |           | tain Ash,    |       | 2 to 3 ft. seed.               | 35     | 2 00    | 15 00            |
| "     | es         | 6.6       | 46           |       | 6 to 8 ft, trans.              | 2 75   | 25 00   |                  |
| 8.6   | baccata,   |           |              |       | 18 to 24 in. trans.            | 1 00   | 8 00    | 70 00            |
| 44    | 4.5        |           |              |       | 2½ ft. trans.                  | 1 25   |         |                  |
| £ 6   | Bechte     | el's Dou  | ble Flowerir | 12.   | 3 ft. trans.                   | 3 00   |         |                  |
| 2.2   | 4.6        | 6.6       | 6.6          | ٥,    | 3 to 4 ft. trans.              | 3 50   | 25 00   |                  |
| 66    | 44         | 4.6       | 4.6          |       | 4 to 5 ft. trans.              | 4 00   | 30 00   |                  |
| 86 -  | coronari   | a, Sweet  | Scented Cr   | ab.   | $2\frac{1}{2}$ to 3 ft. trans. | 1 75   | 15 00   |                  |
| 6.5   | 8.6        | 3.3       | 44           | 11    | 3 to 3½ ft. trans.             | 3 00   |         |                  |
| 8.6   | flexilis ( | scarlet   | fruit).      |       | 4 to 6 ft. trans.              | 2 50   | 20 00   |                  |
| 6.6   |            | (yellow   |              |       | 4 ft. trans.                   | 2 50   | 20 00   |                  |

Particular attention should be given by planters to the different varieties of Pyrus Malus, such as flexilis and Toringo. These sorts produce masses of small apples not much larger than a small cherry, and their effect either in mass planting or as individual specimens is very attractive. The coronaria is the sweet-scented crab, which is now largely used in landscape planting.

| Quercus alba, White Oak (True),   | 2 to 3 ft, trans. 4 00 35 00 300 00     | 0 |
|-----------------------------------|---|---|
| 16 66 66 66                       | 3 to 4 ft, trans. 5 00 40 00            |   |
| 65 65 66                          | 4 to 6 ft. trans. 7 50                  |   |
| " Bannisteri, Scrub Oak,          | 3 to 4 ft, trans. 5 00                  |   |
| " bicolor, Swamp White Oak        |   |   |
| 66 66, 66 66                      | 10 to 12 ft. trans. 12 50               |   |
| " 2½ to 2                         | 2½ in. 10 to 12 ft. 15 00               |   |
| " cerris, Turkey Oak,             | 5 to 6 ft. trans. 5 00 40 00            |   |
| 66 66 66                          | 6 to 7 ft. trans. 7 50 60 00            |   |
| 65 66 66 66                       | 10 to 12 ft. trans. 12 50 100 00        |   |
| " coccinea, Scarlet Oak,          | 3 to 5 in. seed. 35 2 50 15 00          | ) |
| 85 - 86 - 66 - 65                 | 4 to 6 in. seed. 40 3 00 20 00          | ) |
| 65 66 66                          | 3 to 4 ft. trans. 4 00 35 00            |   |
| 66 66 . 66 65                     | 4 to 5 ft. trans. 6 00 50 00            |   |
| 66 66                             | 7 to 9 ft, trans. 8 50 70 00            |   |
| 66 66 66                          | 9 to 10 ft. trans. 10 00 90 00          |   |
| 66 66 66                          | 10 to 11 ft. trans. 12 50 100 00        |   |
| " macrocarpa, Mossy Cup or Burr C | Oak, 12 to 15 in. seed. 35 2 50         |   |
| 65 66 66 46                       | " 3 to 4 ft. trans. 4 00 35 00          |   |
| 65 46 66 66                       | " 7 to 8 ft. trans. 8 50                |   |
| 65 65 66 66 66                    | " 8 to 9 ft. trans. 10 00               |   |
| " nigra, Black Jack Oak,          | 5 to 7 ft. trans. 7 50                  |   |
| " obtusiloba, Post Oak,           | 6 to 8 in. seed. 35 2 50                |   |
| 46 - 46 - 46                      | 12 to 18 in. seed. 40 3 00              |   |
| 85 44 86 88 .                     | 6 to 8 ft. trans. 7 50                  |   |
| " palustris, Pin Oak,             | 6 to 10 in. seed. 35 2 00 10 00         | ) |
| 46 46 46                          | 12 to 15 in, seed. 40 2 50 12 00        | ) |
| 66 46 86 48                       | 2½ to 3 ft. trans. 2 50 20 00 150 00    | ) |
| 56 65 , 65 65                     | 4 to 5 ft. trans. 3 50 30 00 250 00     | ) |
| 56 66 66                          | 5 to 6 ft. trans. 4 00 35 00 300 00     | ) |
| 88 46 66 . 46                     | 6 to 7 ft. trans. 4 50 40 00 350 00     | ) |
| 86 46 45 45                       | 7 to 8 ft. trans. 6 50 50 00 400 00     | ) |
| 86 68 68 66                       | 8 to 10 ft. trans. 8 50 75 00 600 00    | ) |
| 6.E 66 65                         | 10 to 12 ft. trans. 10 00 85 00 700 00  | ) |
| " " " 134 to 2 i                  | in. 12 to 14 ft. trans. 12 50 100 00    |   |
| " " " 2½ to 23                    | 34 in. 12 to 14 ft. trans. 20 00 150 00 |   |

\*\*When low-branched trees are wanted it should be especially mentioned and we will send prices for the trees in this form.

|  |  | Per 10   | Per 100   | Per 1000                |
|--|--|--|---|-------------------------|
| Quercus Phellos, Willow-leaved Oak,  | 4 ft. trans.   | \$6 00   | \$50 00   | 1 61 1000               |
| ti ti ti ti  | 6 to 8 ft. trans.  | 1 00   | <b>V</b> 30 00  |                         |
| " Prinus, Rock Chestnut Oak,   | 3 to 4 ft. trans.  | 4 00   | 35 00   |                         |
| 66 66 66   | 4 to 5 ft. trans.  | 6 00   | 50 00   |                         |
| 22 23 24 45  | 5 to 6 ft. trans.  | 7 50   |   |                         |
| 44 44 44   | 6 to 7 ft. trans.  | 8 50   |   |                         |
| " robur, English Oak,  | 4 to 5 ft. trans.  | 6 00   |   |                         |
| 66 66 66   | 7 to 9 ft. trans.  | 7 50   |   |                         |
| " rubra, Red Oak,  | 4 to 6 in. seed.   | 35   | 2 50  | \$ 15 00                |
| 45 64 46 66<br>45 67 61 61   | 4 to 5 ft. trans.  | 6 00   | <b>50</b> 00  | <b>4</b> 00 00          |
| 46 65 66 66  | 5 to 6 ft. trans.  | 7 50   | 60 00   |                         |
| 16 ' 65 66 46  | 6 to 7 ft, trans.  | 8 00   | 65 00   |                         |
| 66 66 66 66  | 8 to 9 ft. trans.<br>10 to 12 ft. trans.   | 8 50   | 75 00   |                         |
|  |  | 10 00  | 90 00   |                         |
| We are particularly pleased with   | our large and fine   | stock o  | i Red O   | aks this                |
| year.  | 0. 101   | 0.7  | 0.70  | 17.00                   |
| " tinctoria, Black Oak,  | 8 to 12 in, seed.  | 35   | 2 50  | 15 00                   |
| EL EL EL EL  | 3 to 4 ft. trans.  | 4 00   |   |                         |
|  | 9 to 10 ft. trans.<br>12 to 18 in. trans.  | 10 00<br>2 00  |   |                         |
| Robinia hispida, Rose Acacia, " on own roots   |  | 60   | 5 00  |                         |
| " pseud-acacia, Yellow Locust,   | 1 to 2 ft. seed.   | 25   | 50  | 3 00                    |
| is a contraction of the country  | 5 to 7 ft.   | 1 50   |   | 3 00                    |
| viscosa,   | 2½ to 3 ft, trans.   | 2 50   |   |                         |
| 66   | 4 to 6 ft. trans.  | 3 50   |   |                         |
| Salisburia adiantifolia, Cingko, Maiden I  | Hair, 6 in. seed.  | 35   | 1 50  | 10 00                   |
| 4.   | 4 to 5 ft, trans.  | 2 50   | 20 00   |                         |
|  |  |  |   | 000 00                  |
| 66 66  | 5 to 6 ft. trans.  | <b>3 0</b> 0   | 25 00   | 200 00                  |
| sr ss  | 6 to 7 ft, trans.  | 4 00   | 30 00   | 200 00                  |
|  |  |  |   | 200 00                  |
| " " " " " " " " " " " " " " " " " " "  | 6 to 7 ft, trans,<br>7 to 9 ft, trans,<br>argely planted. It   | 4 00<br>5 00<br><b>does n</b>  | 30 00<br>40 00<br>ot apper  | ar to be                |
| u u u  | 6 to 7 ft, trans,<br>7 to 9 ft, trans,<br>argely planted. It   | 4 00<br>5 00<br><b>does n</b>  | 30 00<br>40 00<br>ot apper  | ar to be                |
| "  | 6 to 7 ft, trans.<br>7 to 9 ft, trans.<br>argely planted. It<br>insects, and will th   | 4 00<br>5 00<br>does n   | 30 00<br>40 00<br>ot appe   | ar to be                |
| " " " " The Salisbury is becoming more l attacked by caterpillars and other  | 6 to 7 ft, trans,<br>7 to 9 ft, trans,<br>argely planted. It<br>insects, and will th   | 4 00<br>5 00<br>does n<br>crive in 0   | 30 00<br>40 00<br>ot appea<br>cities wh   | ar to be                |
| " " " " " " " " " " " " " " " " " " "  | 6 to 7 ft, trans,<br>7 to 9 ft, trans,<br>argely planted. It<br>insects, and will th<br>ping, 4 to 5 ft.<br>6 to 8 ft, trans.  | 4 00<br>5 00<br>does n<br>rive in c  | 30 00<br>40 00<br>ot apper<br>cities when<br>8 00<br>15 00  | ar to be                |
| " " " " " " " " " " " " " " " " " " "  | 6 to 7 ft, trans,<br>7 to 9 ft, trans,<br>argely planted. It<br>insects, and will th<br>ping, 4 to 5 ft.<br>6 to 8 ft, trans,<br>2 to 3 ft, 2 year   | 4 00<br>5 00<br><b>does n</b><br>arive in c  | 30 00<br>40 00<br>ot apper<br>cities white<br>8 00<br>15 00<br>2 00   | ar to be                |
| " " " " " " " " " " " " " " " " " " "  | 6 to 7 ft, trans. 7 to 9 ft. trans. argely planted. It insects, and will th oing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year   | 4 00<br>5 00<br>does n<br>rive in c  | 30 00<br>40 00<br>ot apper<br>cities when<br>8 00<br>15 00  | ar to be                |
| " " " " " " " " " " " " " " " " " " "  | 6 to 7 ft, trans,<br>7 to 9 ft, trans,<br>argely planted. It<br>insects, and will th<br>ping, 4 to 5 ft.<br>6 to 8 ft, trans,<br>2 to 3 ft, 2 year   | 4 00<br>5 00<br><b>does n</b><br><b>rive in</b><br>1 00<br>1 75<br>35<br>5 50  | 30 00<br>40 00<br>ot apper<br>cities white<br>8 00<br>15 00<br>2 00   | ar to be                |
| " " " " " " " " " " " " " " " " " " "  | 6 to 7 ft, trans. 7 to 9 ft. trans. argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads   | 4 00<br>5 00<br>does n<br>rive in c<br>1 00<br>1 75<br>35<br>50<br>3 50  | 30 00<br>40 00<br>ot apper<br>cities wh<br>8 00<br>15 00<br>2 00<br>4 00  | ar to be<br>tere few    |
| "" " " " "  ***The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Colden-barked Weel  Babylonica, Weeping Willow,  Kilmarnock, " "  pentandra, Laurel-leaved "  " " " "  | 6 to 7 ft. trans. 7 to 9 ft. trans. argely planted. It insects, and will th  ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year   | 4 00<br>5 00<br>does n<br>rive in c<br>1 00<br>1 75<br>35<br>50<br>3 50<br>35  | 30 00<br>40 00<br>ot apper<br>cities wh<br>8 00<br>15 00<br>2 00<br>4 00  | ar to be<br>tere few    |
| "" " " " "  ***The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Colden-barked Weel "  Babylonica, Weeping Willow, "  Kilmarnock, " "  pentandra, Laurel-leaved "  " " " bushy  | 6 to 7 ft, trans, 7 to 9 ft, trans, argely planted. It insects, and will th ping, 4 to 5 ft. 6 to 8 ft, trans, 2 to 3 ft, 2 year 6 to 7 ft, 3 year 1 year heads 2 to 3 ft, 1 year 3 to 4 ft, 2 year 4 to 5 ft, 3 year clumps, 4 to 5 ft, trans   | 4 00<br>5 00<br>does n<br>rive in o<br>1 09<br>1 75<br>35<br>50<br>3 50<br>60<br>as. 1 25  | 8 00<br>15 00<br>2 00<br>4 00<br>15 00<br>2 00<br>4 00<br>1 25<br>2 00<br>4 00<br>1 00  | ar to be sere few       |
| "" " " "  "" " "  "" " "  "" " | 6 to 7 ft, trans, 7 to 9 ft, trans, argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft, trans, 2 to 3 ft, 2 year 6 to 7 ft, 3 year 1 year heads 2 to 3 ft, 1 year 4 to 5 ft, 3 year 4 to 5 ft, 3 year clumps, 4 to 5 ft, trans, clumps, 6 ft, trans.  | 4 00<br>5 00<br>does n<br>rive in 6<br>1 00<br>1 75<br>35<br>50<br>3 50<br>60<br>as. 1 25<br>1 50  | 8 00<br>15 00<br>4 00<br>8 00<br>15 00<br>2 00<br>4 00<br>1 25<br>2 00<br>4 00  | ar to be sere few       |
| "" " " "  "" " "  "" " "  "" " | 6 to 7 ft. trans. 7 to 9 ft. trans. argely planted. It insects, and will th  ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. orm, 6 ft. trans. 6 ft. trans.  | 4 00<br>5 00<br>does n<br>rive in a<br>1 00<br>1 75<br>35<br>50<br>3 50<br>35<br>60<br>60<br>60<br>1 75<br>1 50<br>1 75  | 8 00<br>10 00<br>sot apper<br>cities when the solution of the soluti  | ar to be sere few       |
| "" " " " "  **The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Colden-barked Weel " " " " " " " " " " " " " " " " " "  | 6 to 7 ft. trans. 7 to 9 ft. trans. argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. orm, 6 ft. trans. orm, 6 ft. trans.   | 4 00<br>5 00<br>does n<br>rive in a<br>1 00<br>1 75<br>35<br>50<br>35<br>50<br>60<br>as. 1 25<br>1 50<br>1 75<br>1 50  | 8 00<br>15 00<br>2 00<br>4 00<br>15 00<br>2 00<br>4 00<br>1 25<br>2 00<br>4 00<br>1 00  | ar to be sere few       |
| "" " " " "  ***The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Golden-barked Weel "  "Babylonica, Weeping Willow, "  "Kilmarnock, " "  "pentandra, Laurel-leaved "  "" " bushy tree for regalis (alba), White-leaved Willow Sieboldi,   | 6 to 7 ft, trans, 7 to 9 ft, trans, argely planted. It insects, and will th  ping, 4 to 5 ft. 6 to 8 ft, trans, 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft, trans, clumps, 6 ft, trans, , 3 to 3½ ft. 3 year 2 to 3 ft. 2 year   | 4 00<br>5 00<br>does n<br>rive in a<br>1 00<br>1 75<br>35<br>50<br>35<br>50<br>60<br>1 25<br>1 50<br>1 75<br>1 50<br>85  | 8 00<br>10 00<br>sot apper<br>cities when the solution of the soluti  | ar to be sere few       |
| ### The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Colden-barked Weel  Babylonica, Weeping Willow,  Kilmarnock,  pentandra, Laurel-leaved  """  """  """  """  """  """  """   | 6 to 7 ft, trans, 7 to 9 ft, trans, argely planted. It insects, and will th  ping, 4 to 5 ft. 6 to 8 ft, trans, 2 to 3 ft, 2 year 6 to 7 ft, 3 year 1 year heads 2 to 3 ft, 1 year 3 to 4 ft, 2 year 4 to 5 ft, 3 year clumps, 4 to 5 ft, trans, orm, 6 ft, trans, 3 to 3½ ft, 3 year 2 to 3 ft, 2 year ps, 4 to 5 ft, trans,  | 4 00<br>5 00<br>does n<br>rive in a<br>1 00<br>1 75<br>35<br>50<br>3 50<br>35<br>60<br>60<br>as. 1 25<br>1 50<br>1 75<br>1 50<br>85<br>1 75  | 8 00<br>10 00<br>sot apper<br>cities when the solution of the soluti  | ar to be sere few       |
| "" " " " "  ***The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Colden-barked Weel "  Babylonica, Weeping Willow, "  Kilmarnock, " "  pentandra, Laurel-leaved "  " " " bushy " tree for "  regalis (alba), White-leaved Willow Sieboldi, " vitellina, Colden-barked, bushy clump " " "  | 6 to 7 ft, trans, 7 to 9 ft, trans, argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. orm, 6 ft. trans. , 3 to 3½ ft. 3 year 2 to 3 ft. 2 year 95, 4 to 5 ft. trans. 4 to 5 ft. trans.  | 4 00<br>5 00<br>does n<br>rive in a<br>1 09<br>1 75<br>35<br>50<br>60<br>as. 1 25<br>1 50<br>85<br>1 75<br>1 50  | 8 00<br>15 00<br>2 00<br>4 00<br>15 00<br>2 00<br>4 00<br>1 25<br>2 00<br>4 00<br>10 00<br>12 00  | ar to be sere few       |
| "" "" ""  ***The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Colden-barked Weel  Babylonica, Weeping Willow,  Kilmarnock, ""  pentandra, Laurel-leaved ""  "" "" bushy  "" " " bushy  "" regalis (alba), White-leaved Willow  Sieboldi,  vitellina, Colden-barked, bushy clum;  "" "tree form,  | 6 to 7 ft, trans, 7 to 9 ft, trans, argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. orm, 6 ft. trans. , 3 to 3½ ft. 3 year 2 to 3 ft. 2 year 95, 4 to 5 ft. trans. 4 to 5 ft. trans.  | 4 00<br>5 00<br>does n<br>rive in a<br>1 00<br>1 75<br>35<br>50<br>3 50<br>35<br>60<br>60<br>as. 1 25<br>1 50<br>1 75<br>1 50<br>85<br>1 75  | 8 00<br>10 00<br>sot apper<br>cities when the solution of the soluti  | ar to be sere few       |
| "" " " " "  attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Golden-barked Weel "  Babylonica, Weeping Willow, "  Kilmarnock, " "  pentandra, Laurel-leaved "  " " bushy "  regalis (alba), White-leaved Willow Sieboldi, " itere form, "  " Britzensis, Red-barked Willow  | 6 to 7 ft. trans. 7 to 9 ft. trans. argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. 7 to 3½ ft. 3 year 2 to 3 ft. 2 year 2 to 3 ft. 2 year 4 to 5 ft. trans.  | 4 00 5 00 does n rive in a 1 00 1 75 35 50 35 50 60 60 1 75 1 50 1 75 1 50 85 1 75 1 50 35   | 8 00<br>10 00<br>sot apper<br>cities where the solution of the solut  | ar to be sere few       |
| ## The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Colden-barked Weel ## Babylonica, Weeping Willow, ## Willow, ## ## ## ## ## ## ## ## ## ## ## ## ##  | 6 to 7 ft. trans. 7 to 9 ft. trans. argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. 7 to 3½ ft. 3 year 2 to 3 ft. 2 year 2 to 3 ft. 2 year 4 to 5 ft. trans.  | 4 00 5 00 does n rive in a 1 00 1 75 35 50 35 50 60 60 1 75 1 50 1 75 1 50 85 1 75 1 50 35   | 8 00<br>10 00<br>sot apper<br>cities where the solution of the solut  | ar to be sere few       |
| *** The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Colden-barked Weel Babylonica, Weeping Willow,  Kilmarnock, " " bushy " " bushy " " tree for " " " " tree for " " " " " " " " " " " " " " " " " " "   | 6 to 7 ft. trans. 7 to 9 ft. trans. argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. orm, 6 ft. trans. orm, 6 ft. trans. 1 to 3½ ft. 3 year 2 to 3 ft. 2 year 2 to 3 ft. 2 year 4 to 5 ft. trans.  | 4 00<br>5 00<br>does n<br>rive in a<br>1 00<br>1 75<br>35<br>50<br>35<br>50<br>60<br>0 1 75<br>1 50<br>1 50<br>1 75<br>1 50<br>85<br>1 75<br>1 75<br>1 75<br>1 75  | 8 00<br>15 00<br>2 00<br>4 00<br>15 00<br>2 00<br>4 00<br>1 25<br>2 00<br>4 00<br>10 00<br>12 00<br>12 00   | 10 00<br>12 00<br>20 00 |
| "" "" ""  ***The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Colden-barked Weep "" "" "" "" "" "" "" "" "" "" "" "" ""  | 6 to 7 ft. trans. 7 to 9 ft. trans. argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. syear clumps, 6 ft. trans. orm, 6 ft. trans. 3 to 3½ ft. 3 year 2 to 3 ft. 2 year 4 to 5 ft. trans. 7 to 2½ ft. 2 year 4 to 5 ft. trans. 7 to 6 ft. seed. 1 ft. trans.   | 4 00 5 00 does n rive in a 1 00 1 75 35 50 35 50 1 75 1 50 35 1 75 1 50 1 75 1 50 1 75 1 50 1 75 1 75  | 8 00<br>10 00<br>ot apper<br>cities which is a second of the sec  | 10 00<br>12 00<br>20 00 |
| "" " " " " " " " " " " " " " " " " " "   | 6 to 7 ft. trans. 7 to 9 ft. trans. argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 6 ft. trans. orm, 6 ft. trans. 7 to 3 ft. 2 year 2 to 3 ft. 2 year 4 to 5 ft. trans. 7 to 3 ft. 2 year 8 to 5 ft. trans. 8 to 5 ft. trans. 9 to 5 ft. trans. 9 to 5 ft. trans. 9 to 6 in. seed. 1 ft. trans. 1, 3 to 4 ft. trans.   | 4 00 5 00 does n rive in a 1 00 1 75 35 50 35 50 60 88 1 25 1 50 85 1 75 1 50 35 1 75 1 75 1 50 1 75 1 75 1 75 1 75 1 7  | 8 00<br>10 00<br>ot apper<br>cities which is a second of the sec  | 10 00<br>12 00<br>20 00 |
| ## The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Golden-barked Weel    "Babylonica, Weeping Willow,    "Kilmarnock,   "pentandra, Laurel-leaved   "pentandra, Laurel-leaved   " bushy   " tree for   " regalis (alba), White-leaved Willow   Sieboldi,   "vitellina, Golden-barked, bushy clump   " tree form,   " Britzensis, Red-barked Willow   Sassafras officinale,—see Laurus Sassafra   Sophora Japonica,   Sorbus,—See Pyrus, page 10.  Tilia Americana,   American Linder  | 6 to 7 ft. trans. 7 to 9 ft. trans. argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. orm, 6 ft. trans. orm, 6 ft. trans. 7 to 3 ft. 2 year 4 to 5 ft. trans. | 4 00 5 00  does n rive in a  1 00 1 75 35 50 3 50 3 50 35 1 50 85 1 75 1 50 85 1 75 1 75 1 75 1 75 1 75 1 75 1 75 1 7  | 8 00 15 00 2 00 12 00 12 00 15 00 15 00 15 00 15 00 15 00 15 00 15 00 15 00   | 10 00<br>12 00<br>20 00 |
| ## The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Colden-barked Weep ## Babylonica, Weeping Willow, ## Willow, ## Willow, ## ## Babylonica, Laurel-leaved ## ## Bushy ## ## ## ## ## ## ## ## ## ## ## ## ##   | 6 to 7 ft. trans. 7 to 9 ft. trans. argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 6 ft. trans. 7 to 3 ft. 2 year 2 to 3 ft. 2 year 2 to 3 ft. 2 year 4 to 5 ft. trans. 7 to 9 ft. trans. 1 to 18 in.  | 4 00 5 00 does n rive in a 1 00 1 75 35 50 60 as 1 25 1 50 85 1 75 1 50 1 75 1 50 1 75 1 25 3 00 35  | 8 00<br>15 00<br>2 00<br>4 00<br>15 00<br>2 00<br>4 00<br>1 25<br>2 00<br>4 00<br>10 00<br>12 00<br>12 00<br>15 00<br>2 00<br>10 0  | 10 00<br>12 00<br>20 00 |
| ## The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Colden-barked Weep ## Babylonica, Weeping Willow, ## Willow, ## ## ## ## ## ## ## ## ## ## ## ## ##  | 6 to 7 ft. trans. 7 to 9 ft. trans. argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. orm, 6 ft. trans. 7 to 3 ft. 2 year 4 to 5 ft. trans. 7 to 9 ft. trans. 7 to 9 ft. trans. 7 to 9 ft. trans. 1 to 18 in. 6 to 7 ft. trans.   | 4 00 5 00 does n rive in a 1 00 1 75 35 50 60 as. 1 25 1 50 85 1 75 1 50 35 1 75 1 50 1 75 1 50 1 75 1 50 3 3 3 3 3 3 3 3 3 00 3 3 3 00  | 8 00<br>15 00<br>2 00<br>4 00<br>15 00<br>2 00<br>4 00<br>1 25<br>2 00<br>10 00<br>12 00<br>12 00<br>15 00<br>2 00<br>10   | 10 00<br>12 00<br>20 00 |
| ## The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Colden-barked Weel Babylonica, Weeping Willow,  Kilmarnock, " " bushy pentandra, Laurel-leaved " bushy tree for " bushy tree for " bushy tree for " " bushy clum, " bush | of to 7 ft. trans. 7 to 9 ft. trans. argely planted. It insects, and will the  ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. syear clumps, 4 to 5 ft. trans. orm, 6 ft. trans. orm, 6 ft. trans. 3 to 3½ ft. 3 year 2 to 3 ft. 2 year 4 to 5 ft. trans. 7 to 9 ft. trans. 7 to 9 ft. trans. 10 to 18 in. 6 to 7 ft. trans. 10 to 18 in.   | 4 00 5 00 does n rive in a 1 00 1 75 50 35 1 75 1 25 3 00 35 3 00 35 30 35 3 00 35 3 00 5 35 10 00 5 00 35 10 0 | 30 00<br>40 00<br>ot apper<br>cities where<br>8 00<br>15 00<br>2 00<br>4 00<br>1 25<br>2 00<br>10 00<br>12 00<br>12 00<br>15 00<br>3 00<br>15 00<br>2 00<br>2 00<br>2 00<br>4 00<br>12 00<br>12 00<br>15 00<br>2 00<br>4 00<br>12 00<br>12 00<br>12 00<br>15 00<br>16 00<br>17 00<br>18 | 10 00<br>12 00<br>20 00 |
| ## The Salisbury is becoming more I attacked by caterpillars and other other trees will grow.  Salix aurea pendula, Colden-barked Weeping Willow,  Babylonica, Weeping Willow,  Kilmarnock, " pentandra, Laurel-leaved "  "" " bushy "" tree for " "" regalis (alba), White-leaved Willow Sieboldi, "vitellina, Colden-barked, bushy clump tree form, "" Britzensis, Red-barked Willow Sassafras officinale,—see Laurus Sassaft Sophora Japonica,  Sorbus,—See Pyrus, page 10.  Tilia Americana, American Linder " "Europæa, European Linden, "" platyphylla, Eu. Broad-leaved   | 6 to 7 ft. trans. 7 to 9 ft. trans. argely planted. It insects, and will the ping, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year 6 to 7 ft. 3 year 1 year heads 2 to 3 ft. 1 year 3 to 4 ft. 2 year 4 to 5 ft. 3 year clumps, 4 to 5 ft. trans. orm, 6 ft. trans. 7 to 3 ft. 2 year 4 to 5 ft. trans. 7 to 9 ft. trans. 7 to 9 ft. trans. 7 to 9 ft. trans. 1 to 18 in. 6 to 7 ft. trans.   | 4 00 5 00 does n rive in a 1 00 1 75 35 50 60 as. 1 25 1 50 85 1 75 1 50 35 1 75 1 50 1 75 1 50 1 75 1 50 3 3 3 3 3 3 3 3 3 00 3 3 3 00  | 8 00<br>15 00<br>2 00<br>4 00<br>15 00<br>2 00<br>4 00<br>1 25<br>2 00<br>10 00<br>12 00<br>12 00<br>15 00<br>2 00<br>10   | 10 00<br>12 00<br>20 00 |



AVENUE OF PIN OAKS IN FAIRMOUNT PARK, PHILADELPHIA, PLANTED IN 1876. THIS IS CONSIDERED ONE OF THE FINEST AVENUES IN THE PARK.

|       |                      |              |                       | Per 10 | Per 100 | Per 1000 |
|-------|----------------------|--------------|-----------------------|--------|---------|----------|
| Ulmus | Americana,           | American Eln | n, 12 to 18 in. seed. | \$ 25  | \$ 75   | \$3 50   |
| 65    | 66                   | 66 66        | 1 to 2 ft. seed.      | 35     | 1 50    | 6 00     |
| 6.5   | 45                   | 44 44        | 4 to 5 ft. trans.     | 1 50   | 12 00   | 100 00   |
| 85    | 2.2                  | 46 65        | 6 to 7 ft. trans.     | 1 75   | 15 00   | 125 00   |
| 86    | 4.6                  | 44 65        | 7 to 8 ft. trans.     | 2 00   | 18 00   | 150 00   |
| 8.6   | 64                   | 66 66        | 9 to 10 ft. trans.    | 3 00   | 25 00   | 200 00   |
| 66    | 41                   | 46 46        | 10 to 12 ft. trans.   | 3 50   | 30 00   |          |
| 66    | Camperdown Weeping   | ,            | 1 year head           | 5 00   |         |          |
| 44    | Campestris, English  |              | 2 to 3 ft. trans.     | 1 75   | 15 00   |          |
| 6.6   | 66                   |              | 4 to 5 ft. trans.     | 2 50   | 20 00   |          |
| 4.5   | 66 65                | 6.6          | 7 to 8 ft. trans.     | 3 00   |         |          |
| 44    | Huntingdon,          |              | 7 to 9 ft. trans.     | 3 50   |         |          |
| 4.6   | purpurea, Purple-le  | aved "       | ' 7 to 9 ft. trans.   | 3 50   |         |          |
| 2.2   | latifolia, Scotch    | 61           | 18 to 24 in. trans.   | 1 00   | 8 00    |          |
| 6.6   | racemosus, Cork      | . 66         | 2 to 3 ft. trans.     | 2 00   | 15 00   |          |
| Zanth | oxylon piperitum, Pi | rickly Ash,  | 3 ft. trans.          | 2 50   |         |          |

## WEEPING TREES.

|   |                          | Per 10         | Per 100 | Per 1000 |
|---|--------------------------|----------------|---------|----------|
| Acer Weirii, Weir's Cut-leaved Maple,                         | 7 to 8 ft. trans.        | <b>\$</b> 3 50 | \$30 00 |          |
| £\$ &\$ , &\$ &\$ &\$ &\$ &\$ &\$ &\$ &\$ &\$ &\$ &\$ &\$ &\$ | 10 to 12 it. trans.      | 6 00           | 50 00   |          |
| " " specime   | ens, 12 ft. trans.       | 15 00          |         |          |
| Betula, Young's Weeping Birch,                                | 3 to 4 ft.               | 5 00           | 40 00   |          |
| Cerasus rosea pendula, Weeping Flowering                      | Cherry, 6 ft. 1 yr. hds. | 5 00           |         |          |
| 55 1 45 66  | 2 yr. heads              | 7 50           |         |          |
| Cornus florida pendula, Weeping Dogwood,                      | 2 to 3 ft. trans.        | 3 50           | 30 00   |          |
| 66 66 1 66 1  | 4 to 5 ft.               | 5 00           |         |          |
| Fraxinus pendula, Weeping Ash,                                | 6 to 7 ft. trans.        | 2 50           |         |          |
| Morus, Tea's Weeping Mulberry,                                | 1 yr. head               | 4 00           |         |          |
| Salix Babylonica, Babylonian Willow,                          | 6 to 7 ft. trans.        | 2 50           |         |          |
| "Kilmarnock,  | 1 yr. heads              | 3 50           |         |          |
| Ulmus camperdown,   | 1 yr. heads              | 5 00           |         |          |

### DECIDUOUS SHRUBS.

- "Trans." indicates that the plant has been once or more transplanted.
- "Seed." that it is still in seedling beds, not transplanted.
- "Cut." that it is a rooted cutting, not transplanted,

|         |                         |            |       |                     | Per 10 | Per 100 | Per 1000 |
|---------|-------------------------|------------|-------|---------------------|--------|---------|----------|
| Ameland | chier alnifolia nana, 🛭 | wf. Juneb  | erry, | 12 to 18 in. trans. | \$1 50 | \$12 00 |          |
|         | botryapium,             |            |       | to 18 in. trans.    | 1 50   |         |          |
| \$6     | Canadensis,             |            | 10    | to 15 in.           | 35     | 2 00    | \$15 00  |
| 6.6     | vulgaris,               | 66         | 12    | to 18 in, trans.    | 1 50   | 12 00   |          |
| 66      | rotundifolia,           |            | 18    | to 24 in. trans.    | 1 75   | 15 00   |          |
| 4.6     | 65                      |            | 2     | to 2½ ft. trans.    | 2 50   | 20 00   |          |
| Amorpha | a canescens, Indigo S   | Shrub,     | 1     | ft. trans.          | 1 00   | 8 00    |          |
| 4.4     |                         | 44         | 18    | in. trans.          | 1 25   | 10 00   |          |
| 4.      | fruticosa,              |            | . 6   | to 3 in. seed.      | 35     | 1 00    | 7 00     |
| 6.6     | 66 -                    |            | 2     | to 3 ft. seed.      | 50     | 3 00    |          |
| 66      | 4.6                     |            | 4     | to 5 ft. trans.     | 1 50   | 12 00   | 100 00   |
| £5      | 44                      |            | . 5   | to 6 ft. trans.     | 1 75   | 15 00   |          |
| Amygda  | lus nana, white, Flov   | vering Alm | ond,  | 2 ft. trans.        | 1.50   |         |          |
| \$6     | " pink,                 |            | . 2   | ft. trans.          | 1 50   |         |          |

|                                    |                       | Per 10         | Per 100       | Per 1000 |
|------------------------------------|-----------------------|----------------|---------------|----------|
| Andromeda ligustrina,              | 2 to 21/4 ft. trans.  | <b>\$</b> 2 50 | \$20 00       |          |
| " Mariana,                         | 15 to 18 in. trans.   | 1 50           | <b>12 0</b> 0 |          |
| 44                                 | 18 to 24 in. trans.   | 2 00           | 15 00         |          |
| " nitida,                          | 18 to 24 in. trans.   | 2 00           | 15 00         |          |
| " racemosa,                        | 1 ft. trans.          | 1 75           |               |          |
| Aralia Cashmerica,                 | 2 to 3 ft. trans.     | 2 00           |               |          |
| " Japonica,                        | 2 ft. trans.          | 2 00           | 15 00         |          |
| " Mandshurica,                     | 1 to 2 ft. trans.     | 1 25           | 10 00         |          |
| " pentaphylla,                     | 6 to 8 in trans.      | 1 00           | 8 00          |          |
| 66 65                              | · 12 to 18 in. trans. | 1 50           | 10 00         |          |
| 66 66                              | 18 to 24 in. trans.   | 2 00           | 18 00         |          |
| 46 ,                               | 3 to 4 ft, trans.     | 1 75           | 15 00         |          |
| " spinosa,                         | 2 to 3 ft. trans.     | 1 25           | 10 00         |          |
| 16 66                              | 3 to 4 ft. trans.     | 1 50           |               |          |
| Azalea Mollis, red and yellow,     | 1 ft. bushy           | 3 00           | 25 00         |          |
| 44 44 44                           | 18 in. bushy          | 4 00           | 35 00         |          |
| 44 44 44                           | 2 ft. bushy           | 12 50          |               |          |
| " Pontica, Ghent, assorted colors, | 1 to 1½ ft.           | 4 00           | 35 00         |          |
| 86 46 66 66                        | 2 to 21/2 ft. heavy   | 12 50          |               |          |

We direct particular attention to this offer of Azalea Ghent and Mollis These plants were selected by our representative in Europe last summer, and the plants are unequalled for the sizes offered. They are well set with flower buds and are good, heavy, bushy plants in every respect. As we imported a very large quantity we were able to secure them on very favorable terms. The prices we have quoted being much lower than we have ever before offered them.

| Baccharis halimifolia,                 | 2 ft, trans.                   | 1 00 | 8 00  |                        |
|--|--------------------------------|------|-------|------------------------|
| - 44                                   | $2\frac{1}{2}$ to 3 ft. trans. | 1 25 | 10 00 |                        |
| Berberis concinnum,                    | 2 ft. trans.                   | 1 50 |       |                        |
| " Thunbergii, Japanese Barber          | ry, 10 to 12 in. trans.        | 1 00 | 10 00 | <b>\$</b> 90 <b>00</b> |
| 46 46 66                               | 12 to 15 in. trans.            | 1 25 | 12 50 |                        |
| " vulgaris, Creen Barberry,            | 6 to 10 in. seed.              | 25   | 1.00  | 7 00                   |
| 46 46 46 46                            | 1 to 2 ft. seed.               | 35   | 1 50  | 10 00                  |
| 16 46 7 46 44                          | 10 to 12 in. trans.            | 60   | 5 00  | 40 00                  |
| 86 66 66                               | 12 to 18 in. trans.            | 75   | 6 00  |                        |
| " purpurea, Purple-leave               | d, 1 to 2 ft. seed.            | 35   | 1 50  | 10 00                  |
| 66 66 66                               | 1 ft. trans.                   | 85   | 7 00  |                        |
| 86 66 66                               | 18 to 24 in. trans.            | 1 00 |       |                        |
| Buddleja variabilis,                   | 5 ft. trans.                   | 2 00 |       |                        |
| Callicarpa Japonica,                   | 2 ft. trans.                   | 1 25 |       |                        |
| Calycanthus floridus, Sweet Shrub.     | 12 to 18 in. trans.            | . 75 | 6 00  |                        |
| 66 66 66                               | 1 to 2 ft. trans.              | 85   | 7 00  |                        |
| Caragana arborescens, Siberian Pea     | 2 to 2½ ft. trans.             | 1 75 | 10 00 | 80 00                  |
| 16 16 11 11                            | 2½ to 3 ft. trans.             | 1 50 | 12 00 | 100 00                 |
| Caryopteris Mastacanthus, "Blue Spirae | a," 18 to 24 in. trans.        | 1 00 | 9 00  | 80 00                  |

This is not a Spirata, though it has been given this common name. It produces great masses of blue flowers, commencing in early September and continuing until the middle of October. It is one of the very few fall-blooming shrubs of merit. While it makes a good appearance planted as a single shrub, it is particularly striking when set in beds or masses.

| Cassia Marila | indica, Wild S  | enna,    |         | 12 to 18 in, seed.        | 50      | 3 00          |
|---------------|-----------------|----------|---------|---------------------------|---------|---------------|
| 4.6           | 16 16           | •        |         | 4 to 5 ft. trans.         | 1 25    |               |
| Ceanothus 4   | Americanus, No  | w Jersey | Tea.    | 1 ft. trans.              | 1 00    | 8 00          |
| 6.6           | 4.6             | "        | 44      | 12 to 18 in. trans.       | 1 25    | 10 00         |
| 85            | 44              | 6.6      | " heav  | y, 2 ft. trans.           | 1 75    | 15 <b>0</b> 0 |
| Cephalanth    | us occidentalis | Dwf. Bu  | itton k | ush, 6 to 10 in. seed     | 1. 35   | 2 00          |
| **            | 6.6             | 4.6      | 4.6     | 2½ ft. trans.             | 1 25 .  | 10 00         |
| 6.6           |                 | 44.,     | . 66.3  | heavy, 4 to 41/2 ft, tran | s. 2 50 | 20 00         |

|                |             |         |           |                                | Don 10 | Don 100 | 72 1000  |
|----------------|-------------|---------|-----------|--------------------------------|--------|---------|----------|
|                |             |         |           |                                | Per 10 | Per 100 | Per 1000 |
| Cercis Canaden | isis, Red B | ud or J | udas,     | 18 to 24 in. trans.            | \$1 00 | \$ 8 00 |          |
| 16 16          | 6.4         |         | 4.5       | 2 to $2\frac{1}{2}$ ft. trans. | 1 50   | 12 00   |          |
| "              | 16          |         | 6.6       | $2\frac{1}{2}$ to 3 ft. trans. | 1 75   | 15 00   |          |
| 66 66          | 4.6         |         | " hear    | vy, 3 to 4 ft. trans.          | 2 50   | 20 00   |          |
| " Japonica     | , Japane    | se Jud  | as,       | 12 to 18 in. trans.            | 1 00   | 8 00    |          |
| Chionanthus    | Virginica,  | White   | Fringe,   | 3 to 4 in. seed.               | 25     | 1 00    | \$ 8 00  |
| 66             | 56          | 6.6     | "         | 12 to 15 in. trans.            | 65     | 4 00    | 40 00    |
| 44             | 66          | 6.6     | 6.6       | 12 to 18 in. trans.            | 75     | 6 00    |          |
| 4.6            | 66          | 4.4     | 6.6       | 2 to 2½ ft. trans.             | 1 59   | 12 00   |          |
| 4.6            | 4.6         | 4.6     | 4.4       | 3 to 4 ft. trans.              | 2 00   |         |          |
| 44             | 6.6         | 4.4     | " specime | ns, 4 to 5 ft. trans.          | 10 00  |         |          |

The specimen plants are very heavy and bushy. They have been planted far apart in the nursery rows, and every care exercised to make fine selected and bushy specimens that will create an immediate effect when planted in permanent positions. For use in landscape work, where individual specimens are required, these plants will be found very effective.

| Clethra alnifolia, Sweet Pepper Bush,    | 12 to 18 in. trans.            | 1 25 | 10 00 | 80 00  |
|--|--------------------------------|------|-------|--------|
| 24 44 44 44                              | 2 to 3 ft. trans.              | 1 50 | 12 00 |        |
| Colutea arborescens,                     | 8 to 12 in. seed.              | 50   | 3 00  | 15 00  |
| £6 64                                    | 3 to 4 ft. seed.               | 1 25 |       |        |
| Comptonia asplenifolia, Sweet Fern, hear | vy, 2 ft. trans.               | 1 50 | 12 00 |        |
| Corchorus Japonica, Single,              | 2 ft. trans.                   | 1 00 |       |        |
| " Double,                                | 2 to 3 ft. trans.              | 1 00 |       |        |
| " variegata,                             | 1 ft. trans.                   | 1 00 |       |        |
| Cornus alba, Red-twigged Dogwood,        | 12 to 18 in.                   | 25   | 1 25  | 10 00  |
| " " " " "                                | 18 to 24 in. trans.            | 85   | 7 00  | 60 00  |
| 46 44 46 44                              | 2 ft, trans.                   | 1 00 | 9 00  |        |
| " alternifolia, Blue "                   | 18 to 24 in. trans.            | 85   | 7 00  |        |
| 11 11 11                                 | 3 to 4 ft. trans.              | 1 25 |       |        |
| " eircinata,                             | 1 to 2 ft. trans.              | 1 50 | 12 00 |        |
| " glabrata,                              | 2 ft. trans.                   | 1 50 |       |        |
| " Mas, Cornelian Cherry,                 | 1 to 1½ ft.                    | 25   | 1 50  | 12 00  |
| " " " "                                  | 18 to 24 in, trans.            | 85   | 7 00  | 60 00  |
| 46 44 44                                 | 2 ft, trans.                   | 90   | 8 00  | 00 00  |
| 46 66 66                                 | 2 to 2½ ft. trans.             | 1 00 | 9 00  |        |
| 66 61 66 66                              | $3\frac{1}{2}$ to 4 ft. trans. | 1 50 | 12 00 |        |
| " paniculata,                            | 18 to 24 in. trans.            | 1 50 | 12 00 |        |
| - · · · · · · · · · · · · · · · · · · ·  | 1 to $1\frac{1}{2}$ ft. trans. | 25   | 1 00  | 8 00   |
| sangumea, English Dogwood,               | shy, 3 to 4 ft, trans.         | 1 00 | 9 00  | 80 00  |
|  | avy, 4 to 5 ft. trans.         | 1 50 | 12 00 | 00 00  |
| HC.                                      | 3 to 3½ ft. trans.             | 1 25 | 10 00 |        |
| sericea, Silky                           | avy, 4 ft. trans.              | 1 75 | 10 00 |        |
| 1100                                     | * '                            | 75   | 5 00  | 42 00  |
| Stolouliera lutea, Tellow-Darkeu,        | 1 ft. 1 year,<br>2 to 3 ft.    | 2 50 | 23 00 | 12 00  |
| " Spathii aurea,                         |                                | 3 50 | 25 00 |        |
|  | 3 to 4 ft.                     |      |       |        |
| Corylus Americana, American Hazel,       | 6 to 12 in, seed.              | 35   | 2 00  | 12 00  |
| £6 £6 £. £6                              | 18 to 24 in. trans.            | 1 25 |       |        |
| ee te ee                                 | 2 to 2½ ft.                    | 1 50 |       |        |
| " avellena, European Hazel,              | 2 to $2\frac{1}{2}$ ft. trans. | 1 00 | 8 00  |        |
| ec ec ec ec                              | 3 ft. trans.                   | 1 25 | 10 00 |        |
| " purpurea, Purple-leaved,               | 2 to $2\frac{1}{2}$ ft. trans. | 2 00 | 18 00 |        |
| " Filberts, Named varieties,             | 5 to 7 ft. trans.              | 1 75 | 15 00 |        |
| Cratægus coccinea, White Thorn,          | 2 to $2\frac{1}{2}$ ft. trans. | 1 25 | 10 00 |        |
| " " " "                                  | 2½ to 3 ft. trans.             | 1 50 | 12 00 |        |
| 44 44 45                                 | 3 to 4 ft, trans.              | 2 50 | 15 00 | 100 00 |
| £¢                                       | 4 to 5 ft. trans.              | 3 50 | 30 00 |        |
| 66 66 66                                 | 5 to 6 ft. trans.              | 4 00 |       |        |
| " cordata, Washington Thorn,             | 2 to 3 ft, trans.              | 3 00 | 25 00 |        |
| " " " " " " "                            | 3 to 4 ft. trans.              | 4 00 | 35 00 |        |
| 64 66 66                                 | 4 to 5 ft. trans.              | 5 00 |       |        |
|  |                                |      |       |        |

| <b>5</b> |                | 0           | 1        | 10 to 10 in good                                | Per 10<br>\$ 60 | Per 100<br>\$4 00 | Per 1000                |
|----------|----------------|-------------|----------|---|-----------------|-------------------|-------------------------|
|          | gus crus-galli | , Cockspu   |          | 12 to 18 in, seed.                              |                 |                   |                         |
| 1.6      | 6.6            | 46 -        | 6.6      | 12 to 18 in. trans.                             | 1 00            | 8 00              | <b>\$</b> 70 <b>0</b> 0 |
| 6.6      | 4.4            | 46          | 6.6      | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ | 1 25            | 10 00             | 90 00                   |
| 66       | 6.6            | 4.6         | 6.6      | $2\frac{1}{2}$ to 3 ft. trans.                  | 1 50            | 12 00             | 100 00                  |
| 8.6      | 6.6            | 6.6         | " he     | eavy, 3 to 4 ft. trans.                         | 2 50            | 20 00             |                         |
| 6.6      | 1 45           | 4.6         | extra he | avy, 4 to 5 ft. trans.                          | 3 00            | 25 00             |                         |
| \$1      | 6.8            | 6.6         | extra he | avy, 5 to 6 ft. trans.                          | 4 00            | 35 00             |                         |
| \$4      | oxycantha, E   | English Ha  | wthorn.  | 18 to 24 in. trans.                             | 85              | 7 00              | 60 00                   |
| 4.6      | 46             |             | 4.6      | 2 to 2½ ft. trans.                              | 1 00            | 8 00              |                         |
| 4.6      | 44 - 1         | 6.6         | 6.6      | 2 to 3 ft. trans.                               | 1 25            | 10 00             | 80 00                   |
| 4.6      | 6.6            | 6.6         | 4.6      | 3 to 4 ft. trans.                               | 1 50            | 12 <b>0</b> 0     |                         |
| 6.5      | Double Whit    | te,         |          | 3 to 4 ft, trans.                               | 3 50            |                   |                         |
| 6.6      | " Pink         | 1           |          | 3 to 4 ft. trans.                               | 3 50            |                   |                         |
| 4.5      | " Paul         | 's Scarlet, |          | 3 to 4 ft. trans.                               | 3 50            |                   |                         |

IF It is not generally known that the Cockspur Thorn makes an excellent and impenetrable hedge, on account of its long, sharp thorns. It transplants easily, is perfectly hardy everywhere, and will stand shearing.

| Cydonia.—See Pyrus.                  |       |   |   |      |       |        |
|--------------------------------------|-------|---|---|------|-------|--------|
| Cytissus Laburnum, Laburnum,         |       | 1 to 2 ft.                                      |   | 35   | 2 00  | 12 00  |
| 11 11 11                             |       | 3 to 3½ ft. trans.                              | 1 | 00   | 8 00  |        |
| 66 66                                |       | 4 to 5 ft. trans.                               | 1 | 25   | 10 00 |        |
| Daphne Mezereon, White,              |       | 12 to 18 in. trans.                             | 1 | 50   | 12 00 |        |
| Deutzia candida plena, Double White, |       | 18 to 24 in. trans.                             |   | 85   | 7 00  |        |
| " candidissima, White,               |       | 10 to 15 in.                                    |   | 25   | 1 75  | 12 00  |
| 66 66                                |       | 18 to 24 in, trans.                             |   | 85   | 7 00  |        |
| 66 66                                |       | 2½ to 3 ft. trans.                              | 1 | 00   | 8 00  |        |
| 66 66                                |       | 4 ft. trans.                                    | 1 | 25   |       |        |
| " crenata, White,                    | hea   | vy, 4 ft. trans.                                | 1 | 25   | 10 00 |        |
| " Double White,                      |       | 2 to $2\frac{1}{2}$ ft. trans.                  | 1 | 00   | 8 00  |        |
| 66 66                                |       | 3 to 4 ft. trans.                               | 1 | 25   | 10 00 |        |
| " Double Pink,                       |       | 10 to 15 in.                                    |   | 25   | 1 75  | 12 00  |
| 6.6 6.6                              |       | 18 to 24 in. trans.                             |   | 85   | 7 00  |        |
| 84 61 44                             |       | $2\frac{1}{2}$ to 3 ft. trans.                  | 1 | 00   |       |        |
| 66 66                                | hea   | vy, 4 ft. trans.                                | 1 | 25   |       |        |
| " Fortuni, White,                    |       | 2 ft. trans                                     |   | 85   | 7 00  |        |
| 46 65                                | hea   | vy, 3 to 3½ ft. trans.                          | 1 | 25   | 10 00 |        |
| " gracilis, White,                   |       | 10 to 12 in. trans.                             |   | 75   | 5 00  |        |
| 66                                   |       | 15 to 18 in. trans.                             |   | 90   | 8 00  |        |
| " Lemoinei, White,                   |       | 8 to 15 in.                                     |   | 25   | 1 75  | 12 00  |
| 4.6                                  |       | 1 ft. trans.                                    | 1 | 00   | 8 00  |        |
| 46 44                                |       | 18 to 24 in. trans.                             | 1 | 50   | 12 00 |        |
| " Pride of Rochester, Double Pin     |       | 18 in. trans.                                   |   | 85   |       |        |
| g\$ 66 66 66 66 6                    | 6     | 2 to $2\frac{1}{2}$ ft. trans.                  | 1 | 25   | 10 00 |        |
| " scabra, Single White,              |       | 2 ft. trans.                                    |   | 85   |       |        |
| 66 64 '                              |       | 3½ to 4 ft. trans.                              | 1 | 25   | 10 00 |        |
| " Sieboldi, White,                   |       | 2⅓ ft. trans.                                   | 1 | 25   |       |        |
| " Wateri, Single White, heavy,       |       | 3 to 4 ft. trans.                               | 1 | 25   | 10 00 |        |
| " Wellsii,                           |       | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ |   | 00   | 8 00  |        |
| Eleagnus angustifolia (true),        |       | 12 to 18 in. trans.                             |   | 00   | 8 00  |        |
| 84 44 44                             |       | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ |   | 25   |       |        |
| " longipes,                          |       | 1 ft. trans.                                    |   | 00   |       |        |
| " parvifolius, Silver Thorn.         | heavy | 5 to 6 ft. trans.                               | 1 | 50 - | 12 00 | 100 00 |

\*The Eleagnus parvifolius is one of the few really good and useful shrubs that have been slighted by planters. It is of strong habit, rather dense growth, and is quite hardy. The foliage on the upper surface is of light-green color, but on the underside it is silvery. It produces enormous quantities of red berries speckled with silver. It makes an excellent hedge plant.

| _       |                  |           |        |        |                     | Per 10 | Per 100 | Per 1000 |
|---------|------------------|-----------|--------|--------|---------------------|--------|---------|----------|
| Euonyr  | nus Americani    | 18, Am. B | urning | g Busi | h, 6 to 10 in.      | \$ 25  | \$ 2 00 | \$16 00  |
| **      | **               | **        | 6.6    |        | 18 in. trans        | 1 25   | 10 00   |          |
| 6.6     | Bungeanus        |           |        |        | 4 to 5 )t.          | 2 00   |         |          |
| 6.6     | Europæus,        | Europea   | an "   | 6.6    | 5 to 6 in. seed.    | 25     | 1 00    | 8 00     |
|         | 66               | 4.6       | 4.6    | 4.6    | 12 to 18 in, seed.  | 35     | 1 50    |          |
| 8.6     | 8.6              | 4.6       | 4.6    | 6.6    | 2 to 3 ft. trans.   | 85     | 7 00    |          |
| 8.6     | 6.6              | 6.6       | 6.6    | 6.6    | 3 to 4 ft. trans.   | 1 25   | 10 00   |          |
| Exocho  | rda grandiflora  | , Pearl   | Bush.  |        | 18 to 24 in. trans. |        | 10 00   |          |
| Forsyth | nea Fortuni,     |           | ,      |        | 2 ft. tr ns.        | 85     | 7 00    |          |
| 6.6     | 4.6              |           |        |        | 2 to 2½ ft. trans.  | 90     | 8 00    |          |
| 6.6     | suspensa,        |           |        |        | 2 to 2½ ft. trans.  | 90     | 8 00    |          |
| 44      | viridissima      | Colden    | Bell.  |        | 1 to 2 ft.          | 25     | 1 75    | 12 00    |
| 6.6     | 46               | variegata |        |        | 2 to 3 ft, trans.   | 1 00   | 1 /0    | 12 00    |
| Halesia | diptera,         | J         |        |        | 8 to 12 in. seed.   | 35     | 2 00    |          |
| 66      | tetraptera, Silv | ver Bell. |        |        | 4 to 5 ft. trans.   | 1 25   | 10 00   |          |
| 6.6     |                  |           |        | heavy  | 5 to 6 ft. trans.   | 1 50   | 12 00   | 100 00   |
| 44      | 41 41            |           |        | ii ii  | 6 to 8 ft. trans.   | 1 75   | 15 00   | 100 00   |

The Halesia tetraptera is one of the best of large-growing shrubs, attaining a height when fully matured of perhaps 20 feet. Its great profusion of creamy white flowers in early spring, while striking are not out of place where natural plantings are needed.

| Homomolio Virginios Manda Janes       | 10 / 17 /                                       |       | ***   |              |
|---------------------------------------|---|-------|-------|--------------|
| Hamamelis Virginica, Wych-hazel,      | 12 to 15 in, trans.                             | 1 25  | 10 00 |              |
|                                       | 18 to 24 in. trans.                             | 1 50  |       |              |
| Hibiscus, Double Red, Althæa,         | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ | 1 00  | 8 00  |              |
| " Lilac,                              | 2 ft. trans.                                    | 1-00  | 8 00  |              |
| " White,                              | 2½ to 3 ft. trans.                              | 1 00  | 8 00  |              |
| "Single Pink,                         | 18 tò 24 in. trans.                             | 1 00  |       |              |
| " variegata, Variegated-leaved Althæa | , 1 ft. trans.                                  | 1 00  | 8 00  |              |
| " totus albus, Single White,          | 2 ft, trans.                                    | 1 25  | 10 00 |              |
| Hippophæa rhamnoides, Sea Buckthorn   | 2 to 2½ ft. trans.                              | 1 25  |       |              |
| Hydrangea arborescens,                | 2 ft. trans.                                    | 1 25  |       |              |
| heav                                  | y, 2½ to 3 ft. trans.                           | 1 50  | 12 00 |              |
| " Otaksa,                             | 18 in. bushy, trans.                            | 5 00  |       |              |
| " paniculata, single,                 | 3 to 4 ft. trans.                               | 1 50  | 12 00 |              |
| " grandiflora,                        | 12 to 18 in. trans.                             | 75    | 6 00  |              |
| 66 66                                 | 18 to 24 in, trans.                             | 85    | 7 00  |              |
| 66 66 66                              | 2 to 21/2 ft. trans.                            | 1 00  | 9 00  | 80 <b>00</b> |
| 15 46 46                              | 3 to 3½ ft. trans.                              | 1 75  | 15 00 |              |
| " radiata, "                          | 2 to 2½ ft. trans.                              | 1 25  | 10 00 |              |
| " Thos. Hogg,                         | 18 in. bushy, trans.                            | 5 00  |       |              |
| Hypericum aureum,                     | 18 to 24 in, trans.                             | 1 00  | 9 00  |              |
| " Mosserianum, Strong,                | 3 years, trans.                                 | 1 00  | 9 00  |              |
| prolificum,                           | 3 to 4 ft. trans.                               | 1 50  | 12 00 |              |
| llex glabra,—See Prinos               |   |       |       |              |
|                                       | 10.   |       |       |              |
| Laurus Benzoin, Spice-bush,           | 18 in. trans.                                   | 85    |       |              |
| specimens                             | s, 5 ft. trans.                                 | 10 00 |       |              |

The 5-feet specimen plants are large, heavy shrubs. They were transplanted three years ago and given ample room to develop. These specimen shrubs will be found most useful where an individual plant is required to create an immediate effect, and scarcely any shrub can be used for as many purposes as the Spice Bush.

| Ligustrum | Ibota (True)   |            |         | 18 to 24 in. trans.            | 75   | 6 00 |       |
|-----------|----------------|------------|---------|--------------------------------|------|------|-------|
| "         | 46 66          |            |         | 2 to $2\frac{1}{2}$ ft. trans. | 1 00 | 9 00 | 80 00 |
| 6.6       | ovalifolium, ( | California | Privet, | 1 to 2 ft. cut.                | 35   | 2 00 | 15 00 |
| 6.6       | 4.6            | 4.6        | 6.6     | 2 to 2½ ft. trans.             | 50   | 3 00 | 20 00 |
| 4.5       | 6.6            | 6.6        | 6.6     | 2½ to 3 ft. trans.             | 75   | 5 00 | 40 00 |
| 65        | 6.6            | 6.6        | 4.6     | 3 to 4 ft. trans.              | 1 00 | 7 00 | 60 00 |
| 45        | Regelianum,    | 4.6        | 6.6     | 12 to 15 in trans.             | 75   | 6 00 |       |
| 6.6       | vulgare, Com   | mon Priv   | et,     | 18 to 24 in. cut.              | 50   | 3 00 | 20 00 |
| 65        | 6.6            | 44 4       | 6       | 18 to 24 in, trans.            | 1 00 |      |       |

#### CALIFORNIA PRIVET (Ligustrum ovalifolium).

FOR PRICES, SEE BOTTOM OF PAGE 17.

We call particular attention to our large blocks of California Privet, probably none larger in the United States, as we make a specialty of this plant. Our I to 2 ft, one year plants will have one and two stems per plant. The 2 to  $2\frac{1}{2}$  ft, stock will have three to five stems per plant, and are all well rooted. The  $2\frac{1}{2}$  to 3 ft, plants are still bushier and more heavily rooted. Of the 3 to 4 ft, grade we have only a limited supply.

Where the California Privet is not hardy we recommend Ibota, of which we also have a large stock. Nurserymen buy California Privet from us very heavily, and we guarantee our plants to be exactly as represented.

|   |                                | Per I0 | Per 100      | Per 1000  |
|---|--------------------------------|--------|--------------|-----------|
| Lonicera fragrantissima, Bush Honeysuc      | kle 18 to 24 in trans          |        | 87 00        | 1 01 1000 |
| " tartarica alba, White-berried             | 1 to 1½ ft,                    | 35     | 1 50         | \$12 00   |
| 11 11 11 11                                 | 18 to 24 in. trans.            | 90     | 8 00         | •         |
| " red-berried,                              | 1 to 1½ ft.                    | 35     | 1 50         | 12 00     |
| 16 16 16                                    | 2½ ft. trans.                  | 1 00   | 9 00         |           |
| " yellow-berried,                           | 1 to 2 ft. trans.              | 1 00   | 9 00         |           |
| " grandiflora, Pink-flw'ro                  |                                | 35     | 1 50         | 12 00     |
| 66 65 66                                    | 18 to 24 in. trans.            | 90     | 8 00         |           |
| 68 66 66                                    | 2 to 2½ ft. trans.             | 1 25   |              |           |
| 46 46 46 46                                 | 3 ft, trans.                   | 1 50   |              |           |
| Myrica cerifera, Wax Myrtle,                | 18 to 24 in, trans.            | 1 50   | 12 00        |           |
| 11 11 16 11                                 | 2 to 3 ft, trans.              | 2 00   | 18 00        |           |
| Paliurus aculeatus, grandiflora, Pink-flw'r |                                | 1 50   | 10 00        |           |
| Philadelphus aureus, Colden-leaved,         | 1 ft. trans.                   | 90     | 8 00         |           |
| " grandiflorus, Mock Orange,                | 10 to 15 in.                   | 35     | 2 00         | 15 00     |
| " Lemoinei,                                 | 10 to 15 in.                   | 35     | 2 0 0        | 15 00     |
| 46 46 0                                     | 2 ft. trans.                   | 1 00   | 9 00         |           |
| " nanus, Dwarf,                             | 18 in. bushy                   | 90     | 8 <b>0</b> 0 |           |
| " speciossissima,                           | 10 to 15 in.                   | 35     | 2 25         | 18 00     |
| Potentilla fruticosa, Shrubby Cinquefo      |                                | 1 25   |              |           |
| Prinos glaber, Ink-berry,                   | 18 to 24 in.                   | 3 00   | 25 00        |           |
| " verticillata,                             | 2 ft, trans.                   | 1 50   |              |           |
| Prunus Americanus, Beach Plum.              | 18 to 24 in. seed.             | 85     | 6 00         |           |
| " Pissardi, Purple-leaved Plum,             | 3 to 3½ ft.                    | 1 50   |              |           |
| Pyrus arbutifolia, Choke-berry, bush        |                                | 1 50   | 12 00        |           |
| " " " "                                     | 2 to 2½ ft. trans.             | 1 75   | 00           |           |
| 66 64 46                                    | 3 ft. trans.                   | 2 00   | 18 00        |           |
| " melanocarpa, Red Choke-berry,             | 2 to 21/2 ft. trans.           | 1 75   | 15 00        |           |
| " Japonica Red, (Cydonia) Fire-bush.        | 8 to 15 in,                    | 35     | 1 25         | \$10 00   |
| 11 11 11 11                                 | 1½ to 2 ft. trans.             | 1 00   | 8 00         | •         |
| Rhamnus Caroliniana, Carolina Buckth        | orn. 6 to 7 ft. trans.         | 1 50   |              |           |
| " catharticus, Common Bucktho               |                                | 25     | 1 00         | 7 00      |
| 46 46                                       | 4 to 5 ft. trans.              | 1 25   | 10 00        |           |
| " frangula,                                 | 2½ to 3 ft. trans.             | 1 25   | 10 00        |           |
| Rhodotypus kerrioides,                      | 8 to 12 in. seed.              | 35     | 1 00         | 8 00      |
| 14 14                                       | 12 to 18 in. seed.             | 40     | 2 00         | 10 00     |
| 44 44                                       | 18 to 24 in. seed.             | 50     | 3 00         | 15 00     |
| n hea                                       | avy, 3 to 4 ft. trans.         | 1 25   | 10 00        | 90 00     |
| extra he                                    | avy, 4 ft. trans.              | 1 75   | 15 00        |           |
| Rhus copallina, Shining Sumach,             | 18 to 24 in. trans.            | 1 50   | 12 00        |           |
| " " hea                                     | avy, 3 to 4 ft. trans.         | 3 00   | 25 00        |           |
| " cotinus, Mist or Smoke Tree,              | 1 to 1½ ft. trans.             | 25     | 1 25         | 10 00     |
| 66 66 66                                    | 18 to 24 in. trans.            | 75     | 6 00         |           |
| £\$ 46 16 1                                 | 2 to 2½ ft. trans.             | 85     | 7 00         |           |
| 56 66 66 66                                 | 2½ to 3 ft. trans.             | 1 00   | 8 00         |           |
| 66 66 66 66                                 | 3 to $3\frac{1}{2}$ ft, trans. | 1 25   | 10 00        |           |
|   | vy, 5 to 6 ft. trans.          | 1 50   |              |           |
| " glabra, Smooth Sumach,                    | 12 to 18 in. trans.            | 1 00   | 8 00         |           |
| " laciniata, Cut-leaved,                    | 12 to 18 in. trans.            | 1 50   | 12 00        |           |
| " typhina, Stag's Horn,                     | 4 to 5 ft. trans.              | 1 25   | 9 00         |           |
| · ·   |                                |        |              |           |

|       |              |            |          |      |                        | Per 10 | Per 100 | Per 1000 |
|-------|--------------|------------|----------|------|------------------------|--------|---------|----------|
| Ribes | aureum, F    | lowering   | Currant  | ,    | 1½ to 2 ft.            | \$ 25  | \$1 50  | \$12 00  |
| 44    | . 44         | 6.6        | 6.6      |      | 18 to 24 in. trans.    | 1 00   | 8 00    |          |
| 46    | 66           | 4.6        | 6.6      |      | 2 to 3 ft. trans.      | 1 25   |         |          |
| 66    | Cynosbati,   |            |          | bush | y, 12 to 18 in. trans. | 1 50   |         |          |
| 44    | floridum, N  | lissouri l | Black,   |      | 3 ft. trans.           | 1 25   | 10 00   |          |
| 44    | 6.6          | 44         |          | LVY, | 4 to 5 ft, trans.      | 1 50   |         |          |
| 64    | sanguineum   | , Pink-fl  | owering, |      | 1½ to 2 ft.            | 35     | 2 50    |          |
| Rosa  | blanda,      |            | 0.       |      | 12 to 18 in. trans.    | 85     | 7 00    |          |
| 4.4   | 4.6          |            |          |      | 18 to 24 in. trans.    | 90     | 8 00    |          |
| 66    | 6.6          |            |          |      | 2 to 2½ ft. trans.     | 1 00   | 9 00    |          |
| 44    | Carolina,    |            |          |      | 3 ft. trans.           | 1 25   | 10 00   |          |
| 66    | Crimson Ra   | mbler,     |          |      | 3 to 4 ft. trans.      | 1 50   | 12 00   |          |
| **    | lucida alba, |            |          |      | 1 ft. trans. bushy     | 2 50   | 20 00   |          |

The Rosa lucida alba is a new and rare plant and will be found very useful and desirable by landscape engineers and superintendents of cemeteries. It has the same habit of growth as the lucida, and can be used in similar positions. We guarantee our stock true to name and first-class in every particular.

| 8.6 | multiflora | a Japonica. |        |        |      |     | 2 to 21/4 ft. trans.    |   | 90 | 8  | 00 | 7  | 0.00 |
|-----|------------|-------------|--------|--------|------|-----|-------------------------|---|----|----|----|----|------|
| 6.6 | 4.6        | 44          | ,      |        |      |     | 3 ft. trans.            |   | 00 |    | 00 |    | 0 00 |
| 4.6 | rugosa     | , Red, Ja   | panes  | e Rose | ,    |     | 6 to 10 in. seed.       |   | 35 | 2  | 00 | 1: | 2 00 |
| 4.6 | **         | 4.6         | 6.6    | 6.6    |      |     | 2 to 3 ft., 2 yr. seed. |   | 40 | 3  | 00 | 1. | 5 00 |
| 13  | 66         | 44          | 66     | 4.6    |      |     | 18 to 24 in. trans.     | 1 | 00 | 8  | 00 | 7  | 0 00 |
| 6.6 | 6.6        | White,      | 6.6    | 4.6    |      |     | 2 to 21/2 ft.           | 1 | 25 | 10 | 00 |    |      |
| 2.3 | setigera,  | Prairie I   | Rose,  |        |      |     | 12 to 18 in. seed.      |   | 25 | 1  | 75 | 1: | 2 00 |
| 66  | 6.6        | 6.6         | 66     |        |      |     | 2 to 21/2 ft. trans.    | 1 | 00 | 8  | 00 | 7  | 0 00 |
| 6.6 | 1.6        | 6.6         | 6.6    |        |      |     | 3 ft. trans.            | 1 | 25 | 10 | €0 | 9  | 0 00 |
| 6.6 | 13         | 4.4         | 4.6    |        | hear | vy. | 4 to 5 ft. trans.       | 1 | 75 | 15 | 00 |    |      |
| 6.6 | Wichuari   | ana, Men    | norial | Rose,  |      |     | 2 to 3 ft. trans.       | 1 | 00 | 8  | 00 |    |      |

#### OUT-OF-DOOR POT-GROWN ROSES.

| R  | "      | Evergreen Gem, White (Hybrid W<br>Jersey Beauty, White (Hybrid Wic<br>Pink Roamer (Hybrid Wichuraian:<br>Prairie Queen, Pink, Climbing,<br>Universal Favorite, White (Hybrid | huraia<br>a), | na), from 4 in. pots<br>from 5 in. pots<br>from 5 in. pots | 2<br>2<br>2 | 50<br>50<br>50<br>50<br>50 |       |       |
|----|--------|--|---------------|--|-------------|----------------------------|-------|-------|
| Ru | ubus   | odoratus, Flowering Raspbe   | rry, he       | eavy, 4 to 5 ft. trans.                                    | 1           | 50                         |       |       |
|    |        | ucus aureus. Colden-leaved,  |               | 3 to 4 ft, trans,  | 1           | 25                         | 10 00 |       |
|    |        | Canadensis, Elderk   |               | 2½ to 3 ft,  |             | 75                         | 6 00  | 50 00 |
|    | 6.6    |  | ,             | 3 to 4 ft.   | 1           | 00                         | 8 00  |       |
|    | 4.6    | nigra, European '  | 41.1          | 3 to 31/4 ft. trans.                                       | 1           | 00                         | 8 00  |       |
|    | 6.0    |  | heavy         |  | 1           | 50                         | 12 00 |       |
|    | 4.0    |  | _             |  | 1           | 25                         | 10 00 |       |
| Sr | oirae: | Anthony Waterer, Pink,   | ,             | 2 ft, trans.   | 1           | 75                         | 15 00 |       |
| ·  | "      | arguta, White,   |               | 12 to 15 in. trans.  | 1           | 00                         | S 00  |       |
|    | 6.6    |  | heav          |  | 1           | 25                         | 10 00 |       |
|    | 4.6    | Billardi, Pink,  |               | 2 to 21/2 ft, trans.                                       | 1           | 00                         | 8 00  |       |
|    | 6.6    | " Blue (Carvopteris),  |               | 18 to 24 in, trans.  | 1           | 00                         | 9 00  | 80 00 |
|    | 4.6    | Bumalda, Pink,   |               | 2 to 3 ft. trans.  | 1           | 00                         | 9 00  |       |
|    | 4.6    | callosa, Pink,   |               | 18 in. trans.  |             | 85                         | 7 00  |       |
|    | 4.6    | " alba, White,   | •             | 8 in. trans.   |             | 85                         | 7 00  |       |
|    | 4.6    | " superba, Light-pink,   |               | 2 to 2½ ft. trans.   | 1           | 00                         | 8 00  |       |
|    | 4.6    | carpinæfolia, White,   |               | 2 to 2½ ft. trans.   | 1           | 00                         | 8 00  |       |
|    | 6.6    |  | heavy         | , 4 to 5 ft. trans.  | 1           | 25                         | 10 00 |       |
|    | 6.6    | Douglassi rosea, Pink,   |               | 1 to 2 ft. trans.  | 1           | 00                         | 8 00  |       |
|    | 6.6    | opulifolia, White,   |               | 2 to 21/2 ft. trans.                                       |             | 85                         | 7 90  |       |
|    | 44     | 66 86  | heavy         | 7, 5 to 6 ft. trans.                                       | 1           | 50                         |       |       |
|    | 44     | " aurea,   |               | 10 to 18 in.   |             | 35                         | 2 00  | 16 00 |
|    | 66     | " Golden-leaved,   |               | 2 to 2½ ft. trans.   | 1           | 00                         | 8 00  |       |
|    |        |  |               |  |             |                            |       |       |



|         |                |                         |             |        |  | Per 10       | Day 100           | D 1000              |
|---------|----------------|-------------------------|-------------|--------|--|--------------|-------------------|---------------------|
| Spiræa  | Reevesii,      | Single White            | ,           |        | 8 to 15 in.  | \$ 35        | Per 100<br>\$1.75 | Per 1900<br>\$15 00 |
| 4.6     | 4.6            |                         |             |        | 2 ft. trans.   | 85           | 7 00              | 610 00              |
| 6.6     | 4.6            | er er                   |             |        | 2½ ft. trans.  | 1 00         | , 00              |                     |
| 4.5     | 6.6            | 46 46                   |             | heavy, | 3 to 3½ ft. trans.   | 1 50         |                   |                     |
| 16      | 66             | Double Wh               |             |        | 8 to 15 in.  | 35           | 1 75              | 15 00               |
| 66      | 66             | 66 6                    | . (         |        | 18 in. trans.  | 85           |                   |                     |
| 66      |                |                         |             | heavy, |  | 1 50         |                   |                     |
| 66      |                | na, Deep-pink           | 1           |        | 4 to 5 ft. trans.  | 1 (0         | 8 00              |                     |
| 66      |                | ia, White,<br>a, White, |             | heavy, | 4 to 5 ft, trans.  | 1 00         | 8 00              |                     |
| 4.6     |                | gii, White,             |             | Heavy, | 2½ to 3 ft. trans.<br>1 ft. trans.   |              | 10 00             |                     |
| 66      | 66             |                         |             |        | 2 to 2½ ft. trans.   | 85<br>1 25   | 7 00<br>10 00     |                     |
| 16      | tomento        | sa, Pink,               |             |        | 18 in. trans.  | 85           | 7 00              |                     |
| 66      | Van Ho         | uttei, White,           |             |        | 8 to 15 in.  | 35           | 2 00              | 18 00               |
| 44      | 6.6            | 4.6                     |             |        | 2 ft. trans.   | 90           | 8 00              |                     |
| 4.6     | 4.5            | 6.6                     |             |        | 2½ to 3 ft. trans.   | 1 25         | 11 00             |                     |
| 46      | . 46           |                         |             |        | 3 to 4 ft. trans.  | 1 50         | 12 00             |                     |
|         | lea Bum        |                         |             |        | 3 ft.  | 1 50         |                   |                     |
| 16      | colch          | ıca,                    |             | 1      | 6 to 10 in, trans.   | 1 25         | 10 00             |                     |
|         |                | into                    |             | neavy  | 4 to 5 ft. trans.  | 2 00         |                   |                     |
|         | trifol         | iata,                   |             |        | 3 to 4 ft. trans.  | 1 25         | 10.00             |                     |
| Stonko  | nandra         | fleviloga               |             |        | 4 to 5 ft.<br>1 ft. trans.   | 1 50         | 12 00             |                     |
| Stepna  | manura         | 11 11 CA (105M)         |             |        | 2 to 2½ ft. trans.   | 90<br>1 25   | 8 00              |                     |
| Symph   | oricarp        | os racemosus            | . White S   | inowl  | perry. 1 to 2 ft.  | 35           | 1 50              | 12 00               |
| Cympii  | "              | "                       | "           | "      | 2 to 3 ft, trans.  | 1 25         | 10 00             | 12 00               |
|         | 66             | 66                      | 66          | 6.6    | 3 to 4 ft. trans.  | 1 50         | 12 00             |                     |
|         | 4.6            | vulgaris,               | Red         | 6.6    | 1 to 2 ft.   | 35           | 1 50              | 12 00               |
|         | 6.6            | 4.6                     | 66          | 6.6    | 18 in. trans.  | 90           | 8 00              |                     |
|         | 66             | 6.6                     | 6.6         | 6.6    | 2 to $2\frac{1}{2}$ ft. trans.   | 1 25         | 10 00             |                     |
|         |                | Red Persi               |             |        | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$  | 1 00         | 9 00              |                     |
| "       | 66             | alba, White             |             |        | 2 ft. trans.   | 1 25         | 10 00             |                     |
| 66      |                | Rothmagensi             | s, Red Pe   | rsian  |  | 50           | 3 00              | 25 00               |
| 16      | Emodi, Josekæ, |                         |             |        | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$<br>$2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$ | 2 50<br>2 50 |                   |                     |
| 16      |                | Common                  | Purnia I    | ilac   |  | 35           | 1 50              | 12 00               |
| 66      | 11             | , 00111111011           | rui pio L   | mac,   | 1 to 2 ft. trans.  | 85           | 7 00              | 12 00               |
| 66      | и,             | 66                      | 6.6         | heavy  | , 2 to 3 ft. trans.  | 1 25         | 10 00             |                     |
| 66      | " all          | a, Commo                | n White l   |        | 12 to 18 in. trans.  | 85           | 7 00              |                     |
| 66      | 66 66          | 46 -                    | 46          | 66     | 1 to 2 ft. trans.  | 90           | 8 00              |                     |
| 66      | 66 66          | 4.6                     | 66          | 6.6    | 18 to 24 in. trans.  | 1 00         | 9 00              |                     |
| 66      | 46 46          | 66                      | 6.6         | 6.6    | $2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$  | 1 25         |                   |                     |
|         |                |                         | NEW FR      | ENCH   | LILACS.  |              |                   |                     |
| Syringa | Frau Dai       | mmann, single           | e white,    |        | 3 to 4 ft. trans.  | 2 50         |                   |                     |
| "       | Ludwig         | Spaeth, purpli          | ish red,    |        | 3 to 4 ft. trans.  | 2 50         |                   |                     |
| 66      |                | evy, double bl          |             |        | 3 to 4 ft. trans.  | 2 50         |                   |                     |
| 66      |                | Volland, singl          |             |        | 3 to 4 ft. trans.  | 2 50         |                   |                     |
| 66      |                | Nancy, double           |             |        | 3 to 4 ft. trans.  | 3 00         |                   |                     |
| 66      |                | el Chatney, d           |             |        | 3 to 4 ft. trans.  | 3 00         |                   |                     |
| 49      | The abo        | ve list comp            | rise nearly | all of | the best varietie  | s of Nev     | v French          | Lilacs.             |
| Tamari  | x African      | a,                      |             |        | 1 to 2 ft.   | 35           | 1 25              | 10 00               |
| "       | "              |                         |             |        | 2 to 3 ft. trans.  | 90           | 8 00              |                     |
| 66      | . 44           |                         |             |        | 4 to 6 ft. trans.  | 1 25         | 10 00             |                     |
| 44      | Gallica,       |                         |             |        | 1 to 2 ft.   | 35           | 1 25              | 10 00               |
| 0 14    | 66             |                         |             |        | 2 to 3 ft. trans.  | 90           | 8 00              | 30.00               |
| 44      | Indica,        |                         |             |        | 1 to 2 ft.   | 35           | 1 50              | 12 <b>0</b> 0       |
| 44      | . "            |                         |             |        | 3 to 4 ft. trans.<br>1 to 2 ft.  | 90           | 8 00<br>1 75      | 16.00               |
| 46      | Japonic "      | a plumosa,              |             |        | 2 to 3 ft. trans.  | 35<br>90     | \$ 00             | 16 00               |
|         |                |                         |             |        | 2 to 5 It. Halls.  | 90           | ® W               |                     |

|                        |                                    | Per 10            | Per 100 | Per 1000 |
|------------------------|------------------------------------|-------------------|---------|----------|
| Tamarix Odessana,      | $2\frac{1}{2}$ to 3 ft. tran       | s. <b>\$</b> 1 00 | \$9 00  |          |
| ·· tetrandra purpurea, | 1 to 2 ft.                         | 35                | 1 25    | \$10 00  |
| 66 66                  | 18 in. trans.                      | 90                | 8 00    |          |
| Vaccinium corymbosum,  | heavy, 2 to 3 ft. trans.           | 4 00              |         |          |
| Viburnum acerifolium,  | 1 to 2 ft. trans.                  | 1 25              | 10 00   |          |
| " cassinoides,         | 18 to 24 in. trans                 | . 2 00            | 18 00   |          |
| " dentatum,            | 4 to 6 in, seed.                   | 35                | 1 50    | 10 00    |
| 65 66                  | 8 to 12 in. trans                  | . 1 00            | 8 00    |          |
| ** 65                  | 5 ft. trans.                       | 2 00              | 15 00   |          |
| 44                     | heavy specimens, 5 to 6 ft. trans. | 7 50              |         |          |

\*\*The specimen Viburnum dentatum are extra fine, well-grown plants. They have been transplanted and have had ample room to develop. For securing an immediate effect, these plants will be found most satisfactory.

| Viburnum Japonicum (Sieboldianum),     | 8 to 12 in. trans.     | 1 25 | 10 00 |       |
|--|------------------------|------|-------|-------|
| 44 44                                  | 18 to 24 in. trans.    | 1 75 |       |       |
| " lantana,                             | 10 to 15 in.           | 35   | 1 50  | 12 00 |
| 66 6.                                  | 12 to 18 in. trans.    | 85   | 7 00  |       |
| 66 66                                  | 2 to 2½ ft. trans.     | 1 25 | 10 00 |       |
| 66 66                                  | 3½ to 4 ft, trans.     | 1 75 | 15 00 |       |
| " molle,                               | 8 to 12 in, trans.     | 1 00 | 8 00  |       |
| 66 46                                  | 2 ft. trans.           | 1 50 | 12 00 |       |
| " " hea                                | vv. 4 to 5 ft. trans.  | 4 00 |       |       |
| " nudum,                               | 2 to 3 ft. trans.      | 1 75 | 15 00 |       |
| " oxycoccos (opulus), Bush Cranberr    | v 6 to 10 in.          | 35   | 1 75  | 15 00 |
| " " " " "                              | 12 to 18 in. trans.    | 85   | 7 00  |       |
| " opulus sterilis, Common Snowbal      |                        | 35   | 3 00  | 25 00 |
| 11 11 11 11                            | 12 to 18 in. trans.    | 85   | 7 00  |       |
| " nanus, Dwarf,                        | 10 to 12 in. trans.    | 1 00 |       |       |
| " plicatum, Jap. Snowball, (True       |                        | 1 25 | 10 00 |       |
| " " " " " " " "                        | 18 to 24 in. trans.    | 1 50 | 12 00 |       |
| " rotundifolia,                        | 12 to 18 in. trans.    | 1 50 | 00    |       |
| " tomentosum,                          | 12 to 18 in. trans.    | 1 00 | 8 00  |       |
| ,                                      | vy, 2½ to 3 ft. trans. | 1 50 | 12 00 |       |
| " prunifolia, Sheep-berry.             | 12 to 18 in, trans.    | 1 50 | 12 00 |       |
| Vitex agnus-catus, Chaste Shrub, Blue, | 4 to 5 ft. trans.      | 1 50 | 12 00 |       |
| Weigela Abel Carier, Crimson,          | 12 to 18 in. trans.    | 1 25 |       |       |
| " arborea versicolor, Pink,            | 3 ft. trans.           | 1 00 |       |       |
| " " heav                               |                        | 1 25 | 10 00 |       |
| " candida, White,                      | 2 to 21/2 it, trans.   | 1 50 | 14 00 |       |
|  |                        | 1 25 | 10 00 |       |
| "Groenewegenii, Pink, fine, heav       | 2 ft. trans.           | 1 25 | 10 00 |       |
| 10364, 10086,                          |                        | 3 50 | 10.00 |       |
| Zanthoceras sorbifolia, from 7 in. por |                        |      | 10.00 |       |
| Zanthorhiza apilfolia,                 | 6 in. trans.           | 1 50 | 12 00 |       |

## HEDGE PLANTS.

#### DECIDUOUS.

| DECID                                  | 0005.             |         |            |
|--|-------------------|---------|------------|
|  |                   | Per 100 | Per 1000   |
| Fagus sylvatica, English Beech,        | 2 ft. trans.      | \$18 00 |            |
| 41 44 44                               | 3 to 4 ft. trans. | 20 00   |            |
| 48 46 48 46                            | 4 to 5 ft. trans. | 25 00   |            |
| 44 44                                  | 5 to 6 ft. trans. | 30 00   |            |
| Cleditschia triacanthos, Honey Locust, | 6 to 8 in. seed.  | 50      | * *** 3 00 |
| Maclura aurantiaca, Osage Orange,      | 1 yr., 1st class  |         | 3.50       |
| 54 66 66 46                            | 4 ft. bushy       | 8 60    | 50 00      |
| Salix Britzensis, Red-barked Willow,   | 2 to 2½ ft. 2 yr. | 2 00    |            |
| 45 66 68                               | 4 to 5 ft, trans. | 15 00   |            |
|  |                   |         |            |

|   |                                    | Per 100      | Per 1000       |
|---|------------------------------------|--------------|----------------|
| Berberis Thunbergii, Japanese Barberry,   | 10 to 12 in. trans.                | \$10 00      | \$90 00        |
| 66 66 66                                  | 12 to 15 in. trans.                | 12 50        |                |
| " vulgaris, Creen Barberry,               | 6 to 10 in. seed.                  | 1 00         | 7 00           |
| 66 66 66                                  | 10 to 12 in. trans.                | 5 00         | 40 00          |
|   | 12 to 18 in. trans.                | 6 00         |                |
| " purpurea, purple-leaved,                | 1 to 2 ft. seed.                   | 1 50         | 10 00          |
|   | 1 ft. trans.<br>12 to 18 in.       | 7 00<br>1 25 | 10 00          |
| Cornus alba, red-twigged dogwood,         | 18 to 24 in, trans.                | 7 00         | 60 00          |
| 84 66 66 66 66 7                          | 2 ft, trans.                       | 9 00         | 00 00          |
| " stolonifera lutea, Yellow-barked dogw   |                                    | 5 00         | 42 00          |
| Cratægus coccinea, White Thorn,           | 2 to 2½ ft. trans.                 | 10 00        | 12 00          |
| " " " "                                   | 2½ to 3 ft. trans.                 | 12 60        |                |
| 66 66 66                                  | 3 to 4 ft. trans.                  | 15 00        | 100 00         |
| 66 66 66                                  | 4 to 5 ft. trans.                  | <b>30</b> 00 |                |
| " crus galli, Cockspur Thorn,             | 12 to 18 in. seed.                 | 4 00         |                |
| 66 66 66 66                               | 12 to 18 in. trans.                | 8 00         | 70 00          |
| et tt tt                                  | 2 to 2½ ft. trans.                 | 10 00        | 90 00          |
| 46 46 46 .46                              | $2\frac{1}{2}$ to 3 ft. trans.     | 12 00        | 100 00         |
| es es so si                               | 3 to 4 ft. trans.                  | 20 00        |                |
| 65 66 66 66                               | 4 to 5 ft. trans.                  | 25 00        |                |
| 66 65 66 65 66                            | 5 to 6 ft. trans.                  | 35 00        |                |
| " oxycantha, English Hawthorn             | 18 to 24 in. trans.                | 7 00         | 60 00          |
| £1  | 2 to 2½ ft. trans.                 | 8 00         |                |
| 65 65 65 - 45                             | 2 to 3 ft. trans.                  | 10 00        | 80 00          |
|   | 3 to 4 ft. trans.                  | 12 00        | 100.00         |
| Eleagnus parvifolius, Silver Thorn,       | 5 to 6 ft. heavy trans.            | 12 00        | 100 00         |
| Hibiscus, Althæa,                         | 2 to 2½ ft. trans.<br>1 ft. trans. | 8 00<br>8 00 |                |
| " variegata, " Totus albus, single white, | 2 ft. trans.                       | 10 00        |                |
| Ligustrum Ibota,                          | 18 to 24 in. trans.                | 6 00         |                |
| Eigusti uiii 200taj                       | 2 to 3 ft. trans.                  | 9 00         | 80 00          |
| " ovalifolium, California Privet,         | 1 to 2 ft. 1 yr.                   | 2 00         | 15 00          |
| 66 66 66                                  | 2 to 2½ ft. trans.                 | 3 00         | 20 00          |
| 22 - 23 - 23                              | 2½ to 3 ft. trans.                 | 5 00         | 40 00          |
| 23 23 23                                  | 3 to 4 ft. trans.                  | 7 00         | 60 00          |
| " vulgare, Common Privet,                 | 18 to 24 in. 1 yr.                 | 3 00         | 20 00          |
| Pyrus Japonica, red, Japanese Quince,     | 8 to 15 in.                        | 1 25         | 10 00          |
| 45 . 66 . 66 . 66                         | 1½ to 2 ft.                        | 8 00         |                |
| Rhamnus Catharticus, Buckthorn,           | 1 to 2 ft.                         | 1 00         | 7 00           |
| 11 11                                     | 4 to 5 ft. trans.                  | 10 00        | 10.00          |
| Rosa rugosa, red,                         | 6 to 10 in. seed.                  | 2 00         | 12 00          |
|   | 2 to 3 ft. 2 yr. seed.             | 3 00<br>8 00 | 15 00<br>70 00 |
|   | 18 to 24 in. trans.                | 0 00         | 10 00          |
|   |                                    |              |                |
| EVERGREEN HEDO                            | GE PLANTS.                         |              |                |
|   |                                    |              |                |
| Abies canadensis, Hemlock Spruce,         | 12 to 15 in, trans.                | 25 00        |                |
|   | 12 to 15 in. trans.                | 10 00        |                |
| thorway spruce,                           |                                    | 18 00        |                |
|   | 8 to 10 in. clumps, for edging     |              |                |
| 16  | ) to 18 in clumps, for edging      | 20 00        |                |
| " suffruticosa, dwarf Box Edging,         | 3 to 5 in.                         | 5 00         | 50 00          |
| Thuja globosa, Globe Arbor Vitæ,          | 6 to 8 in, trans, heavy            | <b>25</b> 00 |                |
| " Hovevii                                 | 19 to 15 in trans heavy            | 25 00        |                |

12 to 15 in. trans. heavy

1 ft. trans. heavy

" pyramidalis, Pyramidal Arbor Vitæ, 12 to 18 in. trans.

" 18 to 24 in. trans.

25 00 25 00

15 00

25 00

" Hoveyii,

" pumila,

## EVERGREENS.

\*\*All of our evergreens have been once or more transplanted, the larger sizes several times, and the choice varieties we move every period not exceeding two years. These choice varieties are all dug with a ball of earth and the ball sewed in a mat. This makes transplanting almost an assured success.

|                                      |           |  | Per 10          | Per 100        | Per 1000 |
|--------------------------------------|-----------|--|-----------------|----------------|----------|
| Abies Canadensis, Hemlock Spruce,    |           | 12 to 15 in. trans.                            | \$3 00          | \$25 00        |          |
| " excelsa, Norway Spruce,            | 9         | 12 to 15 in, trans.                            | 1 50            | 10 00          |          |
| " " inverta.                         |           | 2 to 2½ ft. trans.                             | 12 50           | 20 00          |          |
| " Douglassi,                         |           | 2 to 2½ ft. trans.                             | 7 50            |                |          |
| " Englemanni,                        |           | 2 to 2½ ft. trans.                             | 17 50           |                |          |
| " excelsa pyramidalis,               |           | 3 to 4 ft, trans.                              | 15 00           |                |          |
| " Remontii,                          |           | 2 ft. trans.                                   | 12 50           |                |          |
| excelsa, Wale's Weeping,             |           | 3 to 4 ft. trans.                              | 17 50           |                |          |
| " nigra, Black Spruce                |           | 3 to 4 ft. trans.                              | 10 00           |                |          |
| " Orientalis,                        |           | 2½ to 3 ft. trans.                             | 15 00           |                |          |
| " polita,                            |           | 3 ft. trans.                                   | 17 50           |                |          |
| " pungens glauca, Colorado Blue,     |           | 2 to 21/2 ft, trans.                           | 20 00           |                |          |
|                                      | er's Bl   | ue, 2 to 21/2 ft. trans.                       | 30 00           |                |          |
| Andromeda Japonica,                  |           | 10 to 12 in. trans.                            | 6 00            |                |          |
| Azalea amœna, from 5                 | in, po    |  | 4 00            | 35 00          |          |
| Biota orientalis, Chinese Arbor Vita | _         | 12 to 18 in, trans.                            | 1 75            |                |          |
| 46 1 746 OFF                         | ,         | 2 to 3 ft. trans.                              | 2 50            |                |          |
| " elegantissima, Golden,             |           | 12 to 18 in, trans.                            | 2 50            |                |          |
| Buxus arborescens, Tree Box,         |           | 2½ ft. trans.                                  | 6 00            |                |          |
| 66 66 66                             |           | 3 to 4 ft. specimens                           | 20 00           | 175 00         |          |
| " elegantissima variegata,           |           | 1 ft. trans.                                   | 6 00            |                |          |
| " Handsworthi,                       |           | $2\frac{1}{2}$ to 3 ft. trans.                 | 12 50           |                |          |
| 164                                  |           | 3 ft. trans.                                   | 20 00           |                |          |
| " Japonica, aurea, Golden Box,       |           | 3 to 4 ft. specimens                           | 20 00           |                |          |
| " minima glauca,                     |           | 18 to 24 in. trans.                            | 6 00            |                |          |
| " pyramidalis Hartwickensis,         |           | 18 to 24 in. trans.                            | 8 50            |                | - Na     |
| " rotundifolia, Japanese,            |           | 18 in. trans.                                  | 10 00           |                |          |
|                                      | 8 to 10   | in clumps for edging                           | g 2 50          | 18 00          |          |
|                                      | 10 to 12  | in. " " "                                      | 3 00            | 20 00          |          |
| " suffruticosa, dwarf Box Edging,    |           | 3 to 5 in.                                     | 50              | 5 00           |          |
| Cedrus Atlantica glauca, fr          |           |  | 15 00           |                |          |
| Cratægus pyracantha, Evergreen Thorn | n,        | 3 ft. trans.                                   | 5 00            |                |          |
| Cupressus Lawsoniana,                |           | 1 ft. trans.                                   | 3 50            |                |          |
|                                      |           | os, 5 ft.                                      | 17 50           |                |          |
| Anumi, Blue Cypr                     | ess,      | 2 to 2½ ft. trans.                             | 10 00           |                |          |
| Suite villuis,                       |           | 3½ ft. trans.                                  | 12 50           |                |          |
| Erica vagans capitata, Scotch Heath, | from      |  | 3 50            |                |          |
| Euonymus Sieboldi,                   | _         | 1 ft. trans.                                   | 1 25            | 10.00          |          |
| llex opaca, American Holly,          |           | 15 to 18 in. trans.                            | 3 00            | 25 00          |          |
| Juniperus argentea variegata,        | 6.70.70.4 | 2 to 3 ft. trans.                              | 10 00           | . 07 00        |          |
| communis,                            |           | 18 to 24 in.                                   | 3 50            | 25 00          |          |
| Douglass Golden,                     |           | 8 to 12 in, broad trans<br>12 to 15 in, trans. | s. 5 00<br>2 50 | 40 00          |          |
| " Hibernica, Irish Juniper,          |           | 18 to 24 in. trans.                            | 3 00            | 20 00<br>25 00 |          |
| I Tanonian aurea                     |           | 2½ to 3 ft, trans.                             | 10 00           | 20 (0          |          |
| prostrata,                           | hearr     | 12 to 15 in, trans.                            | 3 00            | 25 00          |          |
| prostrata,                           | пеату     | 2 ft. trans.                                   | 3 50            | 30 00          |          |
| " suecica compacta,                  |           | 6 to 8 in, trans.                              | 2 50            | 30 (10         |          |
| " Virginiana, Common Red C           | odar      |  | 2 00            | 15 00          |          |
| " glauca, Blue Ceda                  |           | 3 to 31/4 ft. trans.                           | 15 00           | 10 00          |          |
| gandon, Dide Cett                    | 41,       | 5 10 0/2 1t. trans.                            | 10 00           |                |          |

|                                 |                           | Per 10  | Per 100 | Per 1000 |
|---------------------------------|---------------------------|---------|---------|----------|
| Kalmia angustifolia,            | 18 in, heavy              | \$7 50  |         |          |
| " latifolia, Mountain Laurel,   | 18 in. heavy              | 7 50    |         |          |
| £6 66 66 66                     | 2 ft. heavy               | 15 00   |         |          |
| ** 55 55                        | 21/2 ft. extra heavy      | , 20 00 |         |          |
| Mahonia aquifolia,              | 6 to 10 in.               | 35      | \$ 1.75 | \$15 00  |
| Picea Concolor, from large tub  | s, 5 ft. trans.           | 50 00   |         |          |
| " Nordmanniana, Nordmann's Fir, | 2 to 21/2 ft. trans.      | 7 5)    | 60 00   |          |
| 16 66                           | 21/2 to 3 ft. trans.      | 20 00   | 150 00  |          |
| Pinus Austriaca, Austrian Pine, | 2½ to 3 ft. trans.        | 3 50    |         |          |
| " cembra, Swiss Stone Pine,     | 1½ to 2½ ft. trans.       | . 10 00 |         |          |
| Retinispora obtusa,             | 3 to 4 ft. trans.         | 12 50   |         |          |
| ., pisifera,                    | 3 to 4 ft. trans.         | 12 50   |         |          |
| " aurea,                        | 3 to 4 ft. trans.         | 12 50   |         |          |
| " plumosa,                      | 3 to 4 ft. trans.         | 12 50   |         |          |
| 66 66 46 ' '                    | 3 to 4 ft. trans.         | 12 50   |         |          |
| " argentea,                     | $2\frac{1}{2}$ ft. trans. | 7 50    |         |          |
| " Squarrosa,                    | 3 to 4 ft. trans.         | 12 50   |         |          |
|                                 |                           |         |         |          |

We wish to call particular attention to our offer of Retinisporas. These plants have been sheared to a pyramidal form and are now very thick and bushy. They have been several times transplanted. The plants will be dug with a ball of earth and the ball sewed in burlap, making it possible to transplant them with every assurance of success. The prices are very reasonable considering the character of the stock.

| Rhode | odendron punctatum,                |      | 12 to 18 in. trans.     | 3 50  | )     |      |
|-------|------------------------------------|------|-------------------------|-------|-------|------|
|       | " Parson's Hybrid, assorted,       |      | 18 to 24 in.            | 8 00  | 75    | 00   |
|       | 66 68 66 66                        |      | 2 to 3 ft,              | 13 50 | 0 125 | 00   |
|       | " Hybrids, assorted,               |      | 21/2 by 3 ft. specimens | 30 00 | 0     |      |
|       | 66 66                              |      | 3 by 21/2 ft. specimens | 40 (  | 0     |      |
|       | 44 44                              |      | 31/2 by 3 ft. specimens | 50 0  | )     |      |
| Rhode | ora canadensis,                    |      | 18 in trans., heavy     | 5 0   | 0 40  | 00   |
| Sciad | opitys verticillatus, Umbrella Pin | Θ.   | from tubs, 2 ft.        | 25 0  | 0     |      |
| Taxus | Hibernica, Irish Yew,              | ľ    | 2½ to 3 ft. trans.      | 12 5  | 0     |      |
| 6.6   | " " 4fr.                           | . tı | rans, heavy specimens   | 30 0  | 0     |      |
| + 5   | ". aurea,                          |      | 2 to 21/2 ft. trans.    | 13 5  | 0     |      |
| 8.6   | 66                                 |      | 4 ft. trans. specimens  | 30 0  | 0     |      |
| 2.2   | " marginata,                       |      | 2 to 2½ ft. trans.      | 13 5  | 0     |      |
| 6.6   | baccata pyramidalis,               |      | 2 to 2½ ft. trans.      | 15 0  | 0     |      |
| Thuia | gigantea,                          |      | 12 to 18 in, trans.     | 2 5   | 0     |      |
| 16    | Geo. Peabody, Golden,              |      | 3 to 4 ft. trans.       | 12 5  | 0     |      |
| 6.6   | globosa, he                        | av   | y, 6 to 8 in. trans.    | 3 0   | 0 25  | 00   |
| 64    | Hoveyii, he                        | av   | y, 12 to 15 in. trans.  | 3 0   | 0 25  | 5 00 |
| 6.6   | pumila, he                         | av   | y, 1 ft. trans.         | 3 0   | 0 25  | 00   |
| 64    | pyramidalis,                       |      | 12 to 18 in, trans.     | 2 00  | 0 15  | 00   |
| 66    | 66                                 |      | 18 to 24 in, trans.     | 3 0   | 0 25  | 00   |
| 2.2   | Vervæneana,                        |      | 3 to 4 ft. trans.       | 12 5  | 0     |      |

The Thoja Geo. Peabody and Vervæneana have been several times transplanted.

They will be dug with a ball of earth and the ball sewed in burlap, so that they can be shipped with perfect safety. They are very fine specimen plants.

| Yucca | filamentosa | 1 year, seed.  | 25   | 1 00 | \$5 00 |
|-------|-------------|----------------|------|------|--------|
| **    | 16          | 2 year, seed.  | 35   | 1 50 | 6 00   |
| 6 .   | 4.6         | 3 year, trans. | 75   | 5 00 |        |
| 6.    | 6.6         | 4 year, trans. | 1 00 | 8 00 | 70 00  |

## VINES AND CLIMBERS.

Special attention is called to the Vines offered from pots. These were potted up early last spring and have been carefully grown and trained to stakes. They are taken out of the pot before shipping, and placed in a paper flower-pot; this, while preserving the ball, reduces the weight. These vines will be found much more satisfactory to use than those from the open ground; and far better and quicker results are obtained.

| results are obtained.                     |      |                       |                        | 70 100          | T3 . 1000               |
|---|------|-----------------------|------------------------|-----------------|-------------------------|
|   |      |                       | Per 10                 |                 | Per 1000                |
| Actinidia arguta,                         |      | from 5 in. pots       | <b>\$</b> 3 <b>5</b> 0 | <b>\$</b> 35 00 |                         |
| Akebia quinata,                           |      | 2 to 3 ft.            | . 85                   |                 |                         |
| Ampelopsis Englemanni,                    |      | 2 to 3 ft.            | 85                     | 7 00            | <b>\$</b> 60 <b>0</b> 0 |
| " Virginica, Virginia Creep               | er,  | 2 to 2½ ft.           | 75                     | 6 00            | 50 <b>00</b>            |
| 46  |      | from 5 in. pots       | 2 50                   | <b>25</b> 00    |                         |
| " Veitchii, Japan or Boston               | Iv   | y, 1 year seed.       | 25                     | 1 25            | 10 00                   |
| " " "                                     | 6.6  | 2 to 3 ft, heavy      | 1 25                   | 12 00           |                         |
| ee ee eë e                                | E.   | from 5 in. pots       | 2 50                   | 25 00           |                         |
| Aristolochia Sipho, Dutchman's Pipe       | Э.   | 4 to 6 ft., ex. heavy | 3 00                   | 23 00           | ,                       |
| er er re                                  | ,    | from 7 in. pots       | 5 00                   | 50 00           |                         |
| Berchemia volubilis,                      |      | 8 to 10 in.           | - 1 00                 | 8 00            |                         |
| Bignonia radicans, Trumpet Vine,          |      | 1 to 2 ft.            | 25                     | 3 00            | 20 00                   |
| " " " "                                   |      | from 5 in. pots       | 2 50                   |                 |                         |
| Celastrus articulatus, Jap. Staff Vine.   |      | 18 to 24 in.          | 1 00                   | 8:00            |                         |
| " " " " "                                 |      | from 5 in, pots       | 2 50                   |                 |                         |
| " scandens,                               |      | 6 in.                 | 75                     | 5 00            |                         |
| ii ii                                     |      | 18 to 24 in.          | 85                     | 7 00            |                         |
| 15 66                                     |      | 2 to 2½ ft.           | 1 00                   | , 00            |                         |
| 66 66                                     |      |                       | 2 50                   |                 |                         |
|   |      | from 5 in. pots       |                        | = 00            | co co                   |
| Clematis paniculata,                      |      | strong, 3 years       | 1 00                   | 7 00            | 60 00                   |
|   |      | from 5 in. pots       | 2 50                   | WO 00           | •                       |
| Heav                                      | у,   | from 7 in. pots       | 5 00                   | 50 00           |                         |
| " Hybrids, named, assorted colors,        |      | 2 and 3 years         | 2 50                   |                 |                         |
| " Virginiana, Virgin's Bower,             |      | 2 year                | 1 00                   |                 |                         |
| " vitalba,                                |      | 2 to 3 ft.            | 85                     |                 |                         |
| " viticella,                              |      | from 4 in. pots       | 2 50                   |                 |                         |
| Dioscorea batatas, Chinese Yam,           |      | 2 year                | 1 00                   |                 |                         |
| ee ee ee ee                               |      | from 3 in. pots       | 1 50                   |                 | ·                       |
| Dolichos Japonicus (Pueraria Thunbergii), | Κι   |                       | ts 3 50                | 35 0 <b>0</b>   |                         |
| 66 66                                     |      | 6 in, po              |                        | 50 00           |                         |
| Euonymus radicans, Green-leaved,          |      | 1 ft.                 | 1 00                   | 9 00            |                         |
| " variegatus, Variegated-lea              | ve   | d. 1 ft.              | 1 00                   |                 |                         |
| Hedera Helix, English Ivy,                |      | from 4 in. pots       | 1 50                   | 15 00           |                         |
| " " " "                                   |      | from 5 in. pots       | 2 50                   | 25 00           |                         |
| Jasminum nudiflorum, Yellow Jasmine,      |      | from 5 in, pots       | 3 50                   | 20 00           |                         |
| " officinale, White Jasmine,              |      | from 5 in. pots       | 3 50                   |                 |                         |
| Lonicera brachypoda, Evergreen Honeysuck  | -10  |                       | 85                     | 7 00            |                         |
| " aurea reticulata, Golden-leaved,        | ile, | " 12 to 18 in.        | 85                     | 7 00            |                         |
|   |      | 12 to 10 iii.         |                        |                 |                         |
| Haireana, Hair S Japanese,                |      | 12 10 10 111.         | 85                     | 7 00            |                         |
| Menispermum canadensis, Moon Seed         | ١,   | 12 to 18 in.          | 1 25                   | 10 00           |                         |
| Passiflora incarnata,                     |      |                       | 1 50                   | 10 00           |                         |
| Pueraria Thunbergii. See Dolichos.        |      |                       |                        |                 |                         |
| Vitis æstivalis,                          |      | 6 to 10 in.           | 75                     | 5 00            |                         |
| " cordifolia,                             |      | 8 to 12 in.           | 75                     |                 |                         |
| " heterophylla,                           |      | 8 to 12 in.           | 35                     | <b>2</b> 50     | 10 00                   |
| 66 66                                     |      | 12 to 18 in.          | 50                     | 4 00            |                         |
| " variegata,                              |      | from 5 in. pots       | 2 50                   | 25 00           |                         |
| " riparia, Sweet-scented Crape,           |      | 12 to 18 in.          | 75                     | 5 00            |                         |
| Wistaria frutescens, American Clycine     | Э,   | 2 to 3 ft.            | <b>7</b> 5             | 5 00            |                         |
| " magnifica,                              |      | 6 in. seed.           | 35                     | 1 25            | 19 00                   |
| " sinensis, Chinese Blue,                 |      | 6 in. seed,           | 35                     | 1 50            | 10 00                   |
| extra hea                                 | vy   | , 3 to 5 ft. trans.   | 2 50                   | 20 00           |                         |
| " alba, Chinese White                     | _    | 1 ft.                 | 1 25                   | 10 00           |                         |
| 15 11 11                                  | ,    | from 4 in. pots       | 2 00                   | 20 00           |                         |
| ar 86 66                                  |      | from 5 in. pots       | 2 50                   | 25 00           |                         |
|   |      |                       | _ 00                   |                 |                         |

# HARDY HERBACEOUS PERENNIALS. HARDY GRASSES AND FERNS.

|  | . •      |       |       |     |   |    |     |    |     |          |                |
|--|----------|-------|-------|-----|---|----|-----|----|-----|----------|----------------|
| A shilles Willofelium m  | -<br>- 1 |       |       |     |   |    |     |    |     | Per 10   | Per 100        |
| Achillea Millefolium ru  |          |       |       |     | • |    |     | ٠  | *   | \$0.80   | <b>\$</b> 7 00 |
| ". "The Pearl,"  | •        | . *   | •     | •   |   |    |     |    |     | 75       | 7 00           |
| taygetea, .  | •        |       | * .   |     |   |    |     |    |     | 1 00     | 6 50           |
|  |          | •     | .*    | ٠   |   |    |     |    |     | 75       | 6 50           |
| Aconitum napellus,<br>Ajuga rectans,                                   | •        |       |       |     |   |    |     |    |     | 1 75     | 16 00          |
| Ajuga rectans, .   |          |       |       |     |   |    |     |    |     | 1 00     | . 8 00         |
| genevensis,  |          |       |       |     |   |    |     |    |     | 75       | 6 00           |
| Anemone Japonica alb   | a,       |       |       |     |   |    |     |    |     | 1 00     | 8 00           |
| rose   | ea,      |       |       |     |   |    |     |    |     | . 1 00   | 8 00           |
|  | Thirlw   | ind," |       |     |   |    |     |    |     | 1 00     | 6 00           |
| " Queen Charle   | otte,    |       |       |     |   |    |     |    |     | 2 00     | 15 00          |
| " Virginiana,  |          |       | 7     |     |   |    |     |    |     | 75       | 6 00           |
| Anthemis tinctoria,  |          |       |       |     | 1 | ., |     |    |     | 1 (0     | 8 00           |
| " pall   | lida,    |       |       |     |   |    |     |    | , . | 1 75     | 15 00          |
| Aquilegia caerulea,  |          |       |       |     |   |    |     |    |     | 1 25     | 8 00           |
| " Canadensis,  |          |       |       |     |   |    | :   |    |     | 1 25     | 9 00           |
| " flabellata nar   | a alba   | ,     |       |     |   |    |     |    |     | 2 00     | 150)           |
| Armeria maritima alba,   |          |       |       |     |   |    |     |    |     | 1 25     | 6 00           |
| Artemisia pontica,   |          |       |       |     |   |    |     |    |     | 50       | 3 00           |
| Asclepias speciosa,  |          |       |       |     |   |    |     |    |     | 1 50     | 10 00          |
| Aster Alpina.  |          |       |       |     |   |    |     |    |     | 80       | 7 00           |
| " longifolia, "Lady '  | Trevel   | lvn." |       |     |   |    |     |    |     | 1 50     | 12 59          |
| " Novæ Angliæ,   |          | - ,   |       |     |   |    |     |    |     | 80       | 6 00           |
| " Noval Belgh, "To   | n Saw    | ver.' |       |     |   |    |     | ,  |     | 1 00     | 8 00           |
| " pyramidalis hybr.  | p ou "   | , 01, | *.    |     | • | •  | •   |    |     | 1 50     | 9 00           |
| " Tatarieus, .   | •        | •     |       | * . | • | •  | •   |    | •   | 80       | 5 00           |
| Belamcanda Chinensi  |          | •     | ٠     | •   |   |    | *-  | •  | •   | 50       | 3 00           |
| Bellis perennis, .   |          | •     |       | ٠   |   |    | •   | •  | •   | 50       | 2 50           |
| Bocconia cordata,  |          |       | •     | ٠   |   | •  | •   | ٠  | •   | 75       | 7 00           |
| Callirhoe involucrata,   | •        | •     | ٠     | •   | • | •  | •   | •  | ٠   | 1 25     | 10 00          |
| Campanula carpatica  |          |       |       | ٠   | • | •  | •   | •  | •   | 1 00     | 7 00           |
| " latifolia m  |          |       |       | *   | • | •  |     | •  | •   | 1 00     | 6 00           |
|  |          |       |       |     | · | •  |     | •  |     | 1 00     | 7 00           |
| " persicifoli rotundifol   | io.      |       |       | •   | • |    |     | ٥  | •   | 1 50     | 12 00          |
| Cincipiture recomose   | ıa,      | •     |       | ٠   |   |    | ٠   |    | •   | 1 00     | 9 00           |
| Cimicifuga racemosa,<br>Centaurea nigra varieg<br>Cerastium tomentosum | vo.to    | •     | •     |     | • |    | •   | ,  | . * | 1 50     | 10 00          |
| Centaurea nigra varieg   | iala,    | •     | *     |     |   |    |     | ٥  |     | 1 25     | 10 00          |
| Cerastium tomentosun   | l,       |       | mod   | •   |   | •  |     |    | •   | 1 25     | 6 00           |
| Chrysanthemum, as  | sorteu   | or na | ineu, |     |   |    |     |    |     | 1 00     | 6 00           |
| Clematis Davidiana,  | •        | *     | •     | ٠   | • | 0  |     |    | •   | 1 00     | 2 75           |
| Convallaria majalis,   |          | •     | •     |     | • |    |     |    | •   |          | 4 00           |
|  |          |       | * 15  |     | • | 0  | *   | 6  | ٠   | 1 50     | 10 00          |
| Coreopsis grandiflora,   |          | •     |       | ٠   | • | •  | W   | ٠. |     | 1 25     | 10 00          |
| " senifolia,   |          | •     |       |     |   | •  |     |    | •   | 60       | 5 00           |
| " rosea, .  Delphinium formosum  |          | •     | •     |     | 4 | •  |     |    | ٠   | 1 25     | 9 00           |
| Delphinium formosum  | 7        |       |       | ٠   | 4 | *  |     |    |     | 1 25     | 6 00           |
| Dianthus barbatus,   | •        |       |       |     | * | ٠  | 4   | 4  |     | 1 00     | 6 50           |
| Dicentra spectabilis,<br>Digitalis purpurea,                           | •        | •     | 1     |     |   | ٠  |     |    | 0   | 1 00     | 8 00           |
| Digitalis purpurea,  | •        |       |       | *   |   |    |     |    | .*  | 1 00     | 8 00           |
| Erigeron speciosus,  |          | 6     | 4     | ٠   |   | 0  |     |    | . * | 40       | 2 50           |
| Eryngium planum,<br>Eupatorium cælestinum                              |          |       | 1     | 0   |   | •  |     |    | •   | 40<br>75 | 5 00           |
| Eupatorium cælestinu   | m,       | 0     | 6     | 6   | 4 |    | ٠.  |    |     | 1 50     | 12 00          |
| Funkia Japonica, .<br>Caillardia aristata gran                         | •        | 0     |       |     | , | ۰  | . • | 4  | ¢   | 1 00     | 6 00           |
| Caillardia aristata gran   | d.,      |       | U     |     | ٠ | *  | *   | 4  | 0   | 1 50     | 12 50          |
| Coum coccineum, .  | •        | 4     | 6     | 6   | ı | ۰  | ٠   | ۷  | 0   | 1 90     | 12 30          |
|  |          |       |       |     |   |    |     |    |     |          |                |

|                                     |   |   |    |     |     |       | Per 10 | Per 100 |
|-------------------------------------|---|---|----|-----|-----|-------|--------|---------|
| Cnaphalium Leontopodium, .          |   |   |    |     |     |       | \$1.50 | \$10 00 |
| Cypsophila paniculata,              | 7 | • | •  | •   | •   | •     | 1 00   | 6 00    |
|                                     | • | • | •  | •   | •   |       | 1 00   | 6 00    |
| Helenium autumnale sup.,            | • | • |    | 0   | • • |       |        |         |
| Helianthus giganteus,               | * | • | •  | •   | •   | •     | 75     | 4 00    |
| " grosse-serratus,                  | e |   |    |     | •   |       | 75     | 7 00    |
| " Maximillianus,                    |   |   |    |     |     |       | 75     | 6 00    |
| mollis,                             |   |   | ٠, |     |     |       | 1 00   | 6 00    |
| " orgyalis,                         |   |   |    |     |     |       | 1 00   | 6 00    |
| Heliopsis laevis,                   |   |   |    |     |     |       | 1 00   | 9 00    |
| " Pitcheriana,                      |   |   |    |     |     |       | 1 00   | 9 00    |
| Hemerocallis flava,                 |   |   |    |     |     |       | 1 50   | 10 00   |
| fulva,                              |   |   |    |     |     | •     | 50     | 3 00    |
| " fl. pl. (Kwanso),                 |   |   | •  | •   |     | •     | 1 00   | 9 00    |
|                                     | • | • | •  | •   | •   | •     | 1 00   | 7 50    |
| grammea,                            | • | • |    |     | •   |       |        |         |
| Hibiscus moscheutos, "Crimson Eye," | • |   | •  |     |     | •     | 1 00   | 6 00    |
| grandinora,                         |   | ٠ | •  | •   | •   |       | 2 00   | 16 00   |
| Hieracium stoloniferum,             |   |   | •  |     |     |       | 50     | 2 50    |
| Hollyhock, dbl. White,              |   |   |    |     |     |       | 1 25   | 8 00    |
| " " Red,                            |   |   |    |     |     |       | 1 25   | 8 (0    |
| " Yellow, .                         |   |   | •  |     |     |       | 1 25   | -8 00   |
| " Pink,                             |   |   |    |     |     |       | 1 25   | 8 00    |
| " Assorted,                         |   |   |    |     |     |       | 1 25   | 8 00    |
| " Single,                           |   |   |    |     |     |       | 1 00   | 6 00    |
| lberis semperflorens superba,       | • | • | •  | •   | •   |       | 1 50   | 11 00   |
|                                     | • | • | •  | •   | •   | •     | 1 50   | 12 00   |
| •                                   | • | • | •  | •   | •   | •     |        |         |
| Tenoreana,                          | ٠ | • | •  |     | •   | •     | 1 25   | 11 00   |
| Inula Helenium,                     |   |   | ٠  |     |     |       | 1 00   | 9 00    |
| Iris cuprea,                        |   |   |    |     |     |       | 2 50   | 22 50   |
| " Germanica. Assorted,              |   |   |    |     |     |       | 1 00   | 8 (0    |
| " Silver King, ,                    |   |   |    |     |     |       | 1 00   | 8 00    |
| " laevigata (Kæmpferi), Assorted, . |   |   |    |     |     |       | 1 25   | 10 00   |
| " seedlings, .                      |   |   |    |     |     |       | 1 00   | 9 00    |
| " pumila,                           |   |   |    |     |     |       | 75     | 5 00    |
| " pseud-acorus,                     |   |   |    |     |     | -     | 1 00   | 8 00    |
| " Sibirica orientalis,              | • | • | •  | •   | •   | •     | 1 25   | 8 00    |
|                                     | • | • |    | •   | •   |       | 1 25   | 10 00   |
| Lathyrus grandiflorus,              | • | • | •  | •   | •   | •     | 1 25   | 10 00   |
| Lavandula vera,                     | • | • | •  | •   |     | •     |        |         |
| Lilium auratum,                     | • |   | •  |     |     | •     | 1 25   | 10 00   |
| candidum,                           |   |   |    | •   | •   |       | 80     | 7 00    |
| " speciosum album,                  |   |   |    |     |     |       | 1 25   | 10 00   |
| roseum,                             |   |   |    |     |     |       | . 1 25 | 10 00   |
| " rubrum,                           |   |   |    |     |     |       | 1 25   | 10 00   |
| " tigrinum,                         |   |   |    |     |     |       | 1 50   | 9 00    |
| Linum perenne,                      |   |   |    |     |     |       | 75     | 5 00    |
| Lobelia cardinalis,                 |   |   |    |     |     |       | 1 00   | 6 00    |
| " syphilitica,                      |   |   |    |     |     |       | 50     | 3 50    |
| Lychnis Haageana,                   |   |   |    |     |     |       | 1 25   | 8 00    |
| " Flos-cuculi,                      | • |   |    |     |     |       | 1 25   | 10 00   |
|                                     | ٠ | • |    | •   |     | •     |        |         |
| 1105-00115,                         |   |   |    |     |     | •     | 1 25   | 8 00    |
| viscaria spiendens,                 |   | • | •  | •   | ٠   | •     | 1 25   | 8 00    |
| Lysimachia clethroides,             |   | • | •  |     |     | 4 - 1 | 75     | 4 00    |
| Lythrum roseum superbum,            |   |   |    | * 1 |     | ٠,    | 1 25   | 10 00   |
| Monarda purpurea,                   |   |   |    |     |     |       | 1 00   | 6 00    |
| Myosotis dissitiflora,              |   |   |    |     |     | ."    | 1 00   | 7 50 •  |
| Nepeta Glechoma var.,               |   |   |    |     |     |       | 75     | 5 00    |
| Opuntia Rafinesquii Greenii,        |   |   |    |     |     |       | 1 25   | 8 00    |
| Paeonia officinalis alba,           |   |   |    |     |     |       | 4 00   | 30 00   |
| " rosea,                            |   |   |    |     |     |       | 4 00   | 30 00   |
| " sinensis (named), assorted,       |   |   | •  | *.  |     |       | 2 00   | 15 00   |
| bilicios (maisca), abbortoa,        |   | • | •  |     | ٠   |       | 1 25   | 8 00    |
| Pachysandra terminalis,             | 9 | • | •  | •   | *   | •     |        |         |
| Papaver Orientale,                  | • | • | •  |     |     | •     | 1 25   | 8 00    |
| Passiflora incarnata,               | a |   | •  |     |     | •     | 1 50   | 10 00   |
|                                     |   |   |    |     |     |       |        |         |

| Mark the state of | Per 10                   | Per 10  |
|---|--------------------------|---------|
|   | . \$1 50                 | \$10 00 |
| barbatus,   | 75                       | 6 00    |
| Digitalis,  | . 1 00                   | 6 00    |
| Phlox decussata, assorted,  | 1 50                     | 10 00   |
| macurata,   | 1 00                     | 6 00    |
| Subulata losea,   | 1 00                     | 6 00    |
| aiba,   | 1 00                     | 6 00    |
| Saure,  | 1 25                     | 8 00    |
| Physostegia denticulata,  | 75                       | 6 00    |
| Platycodon grandiflorum,  | 1 00                     | 6 00    |
| n. pr.,   | 1 25                     | 10 00   |
| Mariesii aiba,  | . 1 00                   | 9 00    |
| Potentilla named hybrids,   | 2 00                     | 15 00   |
| " rupestris,  | 75                       | 7 00    |
| Polygonum cuspidatum,   | . 1 25                   | 11 00   |
| Primula suaveolens,   |                          | 5 00    |
| Pyrethrum roseum,   | . 75                     | 7 00    |
| " uliginosum,   |                          | 5 00    |
| Ranunculus aeris fl. pl.,   | 1 00                     | 7 50    |
| Rudbeckia Golden Glow,  | 75                       | 4 00    |
| " Newmani,  | 1 00                     | 8 00    |
| Salvia azurea grand.,   | 1 00                     | 7 00    |
| Saxifraga crassifolia,  | 1 50                     | 12 50   |
| Scabiosa Caucasica,   | 1 50                     | 10 00   |
| Sedum sexangulare,  | . 75                     | 5 00    |
| " Telephium,  |                          | 4 00    |
| Sempervivum Verloti,  | 40                       | 3 00    |
| Solidago nemoralis,   | 1 50                     | 4 50    |
| Spiraea Filipendula fl. pl.,  | . 1 00                   | 8 00    |
| " multiflora comp.,   | 1 25                     | 10 00   |
| " ulmaria alba pl ,   | . 1 00                   | 6 00    |
| Stachys lanata,   | 60                       | 4 00    |
| Statice latifolia,  | 1 50                     | 10 00   |
| Thalictrum aquilegifolium,  | 1 00                     | 7 00    |
| Thermopsis Caroliniana,   | 1 00                     | 7 50    |
| Tradescantia Virginica,   | 60                       | 5 00    |
| " alba,   | 1 00                     | 8 00    |
| Tritoma uvaria granda   | 1 25                     | 7 00    |
|   | 1 25                     | 8 00    |
| Veronica circæoides,  | . 1.00                   | 7 50    |
| " candida   | . 1 50                   | 10 00   |
| Hendersoni,   | . 1 50                   | 12 00   |
| " spicata nana,   | . 80                     | 7 00    |
| " Teucrium,   | 1 00                     | 9 00    |
| Viola cucullata "Pink Gem,"   | 1 00                     | 7.50    |
| TOTAL THE COMME   | and the same of the same | 100 274 |

#### GRASSES.

|                     |     |        |      |     |         |     |            | Per 10 | Per 100 | Per 1000  |
|---------------------|-----|--------|------|-----|---------|-----|------------|--------|---------|-----------|
| Assorted Ferns,     |     |        |      |     | ۰       |     |            | \$1 00 | \$8 00  | \$40 00   |
| Arundo donax, .     |     |        |      | *   |         | 2   |            | 2 50   | 19 00   | 1 1 1 1 1 |
| " variega           | ta, |        |      |     |         |     |            | 3 00   | 20 00   |           |
| Bambusa Metake,     |     |        |      |     |         |     |            | 3 00   | 20 00   |           |
| Calamagrostis stric | eta | varieg | ata, |     |         | · u |            | 75     | 4 00    |           |
| Erianthus Ravennæ,  |     |        |      |     |         |     | 1          | 2 00   | 16 00   |           |
| Eulalia Japonica,   |     |        |      |     |         |     | 11 - 27 10 | 1 50   | 8 00    |           |
| " gracillima,       |     |        |      | - 4 |         | 10  | 1          | 2 00   | 15 00   |           |
| " variegata,        |     | -      |      |     | 2 7 - 3 |     |            | 2 00   | 15 00   |           |
| zebrina.            |     |        |      | 0   |         |     |            | 1 50   | 10 00   |           |

### **SEEDS**

#### EVERGREENS

|  |        |        |     |      |      |     | 1,     | 02.   | 1 61 10.     |
|--|--------|--------|-----|------|------|-----|--------|-------|--------------|
| Abies alba, White Spruce,  |        |        |     |      |      |     | . \$   | 80 40 | \$3 75       |
| Abies alba, White Spruce, Canadensis, Hemlock, excelsa, Norway Spruce,   |        |        |     |      |      |     |        | 35    | 3 50         |
| excelsa, Norway Spruce, .  |        |        |     |      |      |     |        | 15    | 85           |
| " pungens, Colorado Spruce,  |        | 1.     |     | ,    | . 17 |     |        | 35    | 3 25         |
| Juniperus Virginiana, Red Cedar,   |        |        |     |      |      |     | 100    | 10    | 50           |
| " pungens, Colorado Spruce, Juniperus Virginiana, Red Cedar, Picea Nordmanniana, Nordmann's Fir. " pectinata, Eu. Silver Fir, " Autoria Autoria Pira |        |        |     |      |      | -   | 1 100  | 15    | 1 50         |
| " pectinata, Eu. Silver Fir, .   |        |        |     |      | 1 1  |     | 1000   | 10    | 50           |
| Austriaca, Austrian Fine, .  |        |        |     |      |      |     |        | 20    | 1 75         |
| " mughus, Dwf. Mt. Pine, .   |        |        |     |      |      |     | 16 7   | 30    | 3 00         |
| resinosa, Red Pine,  |        |        |     |      |      |     | 1 5.50 | 75    | 6 00         |
| " rigida, Pitch Pine,  |        |        |     |      |      |     |        | 30    | 2 50         |
| " rigida, Pitch Pine,  |        | :      |     |      |      |     | 1      | 40    | 3 75         |
| " sylvestris, Scotch Pine, .   |        |        |     |      |      |     | 1.00   | 20    | 1 50         |
| Thuya occidentalis, Am. Arbor Vitæ,  |        |        |     |      |      |     | 1000   | 25    | 1.50         |
| Thuya occidentalis, Am. Arbor Vitæ,<br>Yucca filamentosa, Adam's Needle,   |        |        |     |      |      |     |        | 40    | 3 50         |
|  |        |        |     |      |      |     |        |       |              |
|  |        |        |     |      |      |     |        |       |              |
|  |        |        |     |      |      | -   | No.    |       |              |
| DECIDUOUS TRE  | ES     | , SH   | RUI | BS A | AND  | VIN | NES    |       |              |
|  |        |        |     |      |      |     |        |       |              |
|  |        |        |     |      |      |     |        |       |              |
| Acer platanoides, Norway Maple,  |        |        |     |      |      |     |        | 10    | 50           |
| " saccharinum, Sugar Maple, .  |        |        |     |      |      |     |        | 10    | 65           |
| " striatum, Striped Maple, .   |        |        |     |      | 1.   |     |        | 15    | 1 50         |
| " striatum, Striped Maple, " triloba, Pawpaw, " triloba, Pawpaw, " Virginica, Va. Creeper of   |        |        |     |      |      |     |        | 15    | 75           |
| Ampelopsis Veitchii, Japanese or Bo  | ston 3 | Ivy,   |     |      |      |     |        | 15    | 1 00         |
| " Virginica, Va. Creeper or  | · Woo  | odbine |     |      |      |     |        | 15    | 1 00         |
| Berberis vulgaris, Green Barberry,<br>purpurea, Purple Barberry,   |        |        |     |      |      |     |        | 10    | 75           |
| " purpurea, Purple Barberry,   |        |        |     |      |      |     |        | 20    | 1 75         |
| Betula alba, Eu. White Birch, .  |        |        |     |      |      |     |        | 10    | 50           |
| Betula alba, Eu. White Birch, populifolia, Poplar Birch,   |        |        |     |      |      |     |        | 10    | 1 25         |
| Calveanthus floridus, Sweet Shrub.   |        |        |     |      |      |     |        | 15    | 75           |
| Calycanthus floridus, Sweet Shrub,<br>Caragana arborescens, Siberian Pea,  |        |        |     |      |      |     |        | 15    | 1 00         |
| Caragana arborescens, Siberian Pea,<br>Catalpa speciosa, Western Catalpa,<br>Cercis canadensis, Am. Judas or Red E                                   |        | . 4    |     |      |      |     | 1      | 10    | 75           |
| Cercis canadensis, Am. Judas or Red H  | Bud.   |        |     |      |      |     |        | 15    | 1 25         |
| Chestnut, Spanish,   |        |        |     |      |      |     |        |       | 30           |
| Chionanthus Virginica, White Fring   | re.    |        |     |      |      |     |        | 20    | 1 25         |
| Cratægus oxycantha, English Hawth  | orn.   |        |     |      |      |     |        | 10    | 75           |
| Cytissus laburnum, Scotch Laburnum   | ).     |        |     |      | 10   |     |        | 10    | 75           |
| Diospyros Virginiana, Persimon,  | ,      | BO A   |     |      |      |     | 1-5    | 10    | 50           |
| Euonymus Americanus, Burning Bus   | h.     |        |     |      |      |     |        | 20    | 1 50         |
| Fagus ferruginea, Am. Beech,   | ,      |        | •   |      |      |     |        | 15    | 75           |
| Cleditschia triacanthos, Honey Locu  | st     |        |     |      |      | 1   | 100    | 10    | 50           |
| Cymnocladus canadensis, Kentucky   | Coff   |        | •   |      |      |     | . 100  | 10    | 50           |
| Halesia diptera, Silver Bell,  |        |        |     |      |      | 6   |        | 15    | 1 50         |
| Hibiscus Syriacus, Althæa,   | •      |        |     |      |      |     |        | 20    | 1 50         |
| Hipiscus Syriacus, Aithea,   | ,      |        |     |      |      |     |        | 20    |              |
| Koelreuteria paniculata, Varnish Tre   | ٠,     |        |     |      |      |     |        | 15    | 1 50<br>1 50 |
| Larix Europæa, Eu. Larch,  |        |        |     |      |      |     |        |       | 2 50         |
| Liquidambar styraciflua, Sweet Gun   | ц,     |        |     | *    |      | ,   |        | 30    |              |
| Maclura aurantiaca, Osage Orange,  |        |        |     |      |      |     | 10-11  | 10    | 50           |
| Magnolia acuminata, Cucumber Tree  | ,      |        | *   |      | *    |     |        | 20    | 1 60         |
| " tripetala,   |        |        | 1   |      |      | 0   |        | 20    | 1 50         |
|  |        |        |     |      | ,    | *   | 0      | 15    | 1 50         |
| " tartarica, Russian Mulberry,   |        |        |     | *    |      | 9   |        | 25    | 2 50         |

|   |     |   |              | er oz.    | Per lb.  |
|---|-----|---|--------------|-----------|--|
| 4 |     |   |              | \$0 15.   | \$1 00   |
|   |     |   |              | 20        | 1 50   |
|   |     |   | perbus.      | 8 00      | 50   |
|   |     |   |              | 20        | 50   |
|   |     |   | 11. 11. 14   | 30        | 4 50   |
|   |     |   |              | 10        | 1 00   |
|   |     | - |              | 10        | 50   |
|   |     |   | The state of | 25        | 2 00   |
|   | . 1 |   | per bush.    | 3 90      | 25   |
|   |     |   |              | 15        | 1 00   |
|   |     |   |              | 20        | 1 00   |
|   |     |   |              | 15        | 1 00   |
|   |     |   | per bush.    | 2 00      | 15   |
|   | 11. |   | 66           | 2 00      | 15   |
|   |     |   | 46           | 7 00      | 35   |
|   |     |   |              | per bush. | per bus. 8 00 20 30 30 10 25 per bush. 8 90 15 26 27 28 29 20 30 30 40 40 40 40 40 40 40 40 40 40 40 40 40 |

#### THE BEST NURSERY SPADE.



D Handle, Double Strap, Reinforced Nursery Spade. Weight, 91/4 lbs.

We have experimented with a number of different makes of nursery spades, but find this to be the strongest, best and most durable on the market. We have been using this spade for a number of years and it will stand more hard work than any other make. It is strapped full length of handle both back and front, and half way up it has double straps, strengthening it in what otherwise would be its weakest parts.

Price, \$1.75 each; \$20.00 per dozen.

#### TREE LABELS. Painted and Wired.

Discount 10 per cent. for a lot of ten thousand ordered and shipped at one time. The 3½ inch are sold in packages of one thousand in a package. The 6 inch are in packages of one hundred. No less than a full package sold.

| 3½   | inch, | notched, | iron wired, painted\$1.00   | per 1000 |
|------|-------|----------|-----------------------------|----------|
| 31/2 | 44    | "        | copper wired, painted 1.25  | 66       |
| 6    | - 11  | 66       | painted, but not wired 2.25 | "        |
| 6    | 66.   | **       | not painted or wired 1.60   | , gt     |

# PRUNING SHEARS, BUDDING AND PRUNING KNIVES

The shears and knives offered are the celebrated "Maher & Grosh" make, which is sufficient guarantee of their excellence. No better knives are made. All blades are guaranteed "razor steel" and have been thoroughly tested.

Bear in mind our prices are for the goods POST PAID at your risk. If you wish them by registered mail add eight cents to your order.

#### Prices Include Postage.

This is the best light weight pruning knife on the market and is suited to all general work. Ebony handle.

PRUNING KNIFE "B," . . . 85 cents each; 6 for \$4.75

Round handle, steel cap on end. Strong blade. Made for nurserymen who want a strong tool and keen edge. Blade oil tempered. The strongest pruning knife made.

BUDDING KNIFE "C," . . . 25 cents each; 6 for \$1.30

Stationary blade. High temper, equal to any razor.

BUDDING KNIFE "D," . . . 35 cents each; 6 for \$2.00

Cocoa handle, razor steel. Blade closes. The end of the handle is tapered to form a wedge for raising the bark.

PRUNING SHEARS "E," . . . 75 cents each; 6 for \$3.90

These are A No. 1 in quality and are the kind in general use.

PRUNING SHEARS "F," . . \$1.00 each; 6 for \$5.75

This is a forged steel pruner, patent spring of wonderfully easy but powerful working capacity. There is not a stronger or better pruning shear on the market. It will out wear two of any other style. The best is the cheapest in the end.

## RAFFIA

We are recognized as headquarters for Raffia. We are direct importers. New stock ready for delivery May 1st, but if necessary we can ship at once from stock now on hand. Best quality. Long strands. Good color and strength.

2 bales at 834 cents per lb.; 1 bale (about 225 lbs.), at 9 cents per lb.; 100-lb. bale at 10 cents per lb.; 50-lb. bale at 11 cents per lb.; 25 lbs. at 12 cents per lb.; 1 lb. at 15 cents per lb., or postpaid for 30 cents per lb.

#### Thomas Meehan & Sons, Inc.

Dreshertown, Montgomery Co.
Penna.

WHOLESALE DEPARTMENT